

Section 13. Behavioral Measures

The Behavioral Measures of MTN-004 protocol will be collected via Web-based questionnaires. This procedure is a variation of the CASI (Computer Assisted Self-Interview), the only difference being that the data entered are not stored in the laptop but rather are transmitted instantly to a server selected by SCHARP (Statistical Center for HIV/AIDS Research and Prevention). Behavioral Measures will be the Baseline Behavioral Questionnaire, taken at the Enrollment Visit; the Acceptability and Adherence Questionnaire, taken at the Two-Week Clinic visit; and the Study Burden Questionnaire taken at the Three-Week Clinic Visit (see Table 1, below).

NOTE. No Web-based questionnaires are to be completed at the Week 1 Visit. The Adherence Assessment at Week 1 Visit is referring only to administration of the Adherence CRF at this visit.

Table 1: Timing of Behavioral Measures

Study Timeline	Behavioral Measures (Web-based Questionnaires)
Enrollment - Day 0	Baseline Behavioral Questionnaire
Week 2 (Day 14)	Acceptability and Adherence Questionnaire
Week 3 (Day 21)	Study Burden Questionnaire

The purpose of this SSP section is to assist you to set the equipment ready for the participant to respond to the Web-based Behavioral Measures.

13.1 GENERAL COMPUTER USE

Each study site will have a laptop connected to the Web for the participants to use. Sites should select a location for the laptop that is private (i.e. the screen should be out of sight of staff members or other participants while answers are being entered), but allows study staff to be nearby to answer questions or assess whether the participant is having computer problems. There should be an electrical outlet and a jack for broadband connection, unless a reliable wireless connection is used. The laptop should be plugged into an AC power source. An external mouse should be connected to the laptop. To minimize problems with laptops, keep the laptop plugged into a power source, avoid having food or drink nearby, and keep the area where the laptop is used clutter-free. You should have a virus program installed on your laptop. You may also check your computer for the most current dangerous viruses, worms and Trojans by downloading and running either (or both) of the following programs:

- 1) Stinger.exe from: <http://vil.nai.com/vil/STINGER/>;
- 2) Microsoft Windows Malicious Software Tool from: <http://www.microsoft.com/downloads/details.aspx?FamilyId=AD724AE0-E72D-4F54-9AB3-75B8EB148356&displaylang=en>.

We recommend having a back-up laptop or desktop available for your use, in the event that you cannot get your laptop to work.

Each site is responsible for addressing issues of security, privacy, background noise, lighting, ergonomics, and overall participant comfort in its site-specific procedures. Staff members should be familiar with the questionnaire in case participants raise any questions.

Refer to the operations manual of the PC or laptop you will use for hardware and software specifications, and instructions on how to use the computer (i.e., turning a computer on and off, etc.).

Please refer to Section 13.3 for guidelines and contact information regarding troubleshooting and problems with administering the questionnaire.

For questions regarding general computer problems, please refer to Section 13.3 in this manual for contact information.

Section 13.1.1 below gives instructions on Keyboards and Mouse Use.

13.1.1 Keyboard and Mouse Use

The laptop keyboard is like most standard computer keyboards in its function and use. An external mouse will be attached to the laptop to facilitate clicking on different areas of the Web page presented. The Logitech V200 Cordless Notebook Mouse specified for this protocol includes instructions on how to connect it. They are simple steps:

- Plug the receiver into the laptop's USB port.
- Install the batteries in the mouse by pressing the top, lower case of the mouse to release and lift the case.
- Install the software that came with the product.

To use the mouse, the following instructions are provided:

- To move the cursor, move mouse.
- To select an object, tap left button once.
- To select and move (or drag) an object, position the cursor on the object and double tap the left button, leaving your finger down the second time. Then move the selected object by sliding your mouse.
- To open an object, position the cursor on the object and then double tap the left button twice.
- To scroll up, down, left and right, use the tilt wheel. The wheel enables zooming in and out.

The difference between 'left clicking' and 'right clicking' is that left clicking selects the item while right clicking provides access to the pop-up menu. When not in use, attach the receiver to mouse for convenient storage. This turns the mouse off. To turn mouse on, remove the receiver from the base.

References in this SSP to 'clicking' on icons or other items displayed on the screen are meant to direct the user to press the left button. For problems or troubleshooting, refer to installation manual.

13.2 ADMINISTERING BEHAVIORAL QUESTIONNAIRES

Behavioral questionnaires will be administered three times during the course of the study:

- Enrollment Visit – Baseline Behavioral Questionnaire
- Two-Week Clinic Visit – Acceptability and Adherence questionnaire
- Three-Week Clinic Visit – Study Burden Questionnaire

If any participant discontinues trial participation early, she will be encouraged to respond to the Acceptability and Adherence Questionnaire and the Study Burden Questionnaire at the time she exits the study (early termination visit).

The following sections provide guidance on administering the questionnaires at each Visit

13.2.1 Baseline Behavioral Questionnaire (Enrollment Visit)

The Baseline Behavioral questionnaire will assess different types of sexual behavior (vaginal/anal/oral), condom use per act (with/without), partner gender (male/female), partner type (significant other/casual partner), and partner HIV status (positive, negative, unknown) in the recent past. It will also include questions on past use of vaginal hygiene products, medications, desiccants, douches, tampons, and vaginal pregnancy prevention methods. Participants will also be asked to report on substance use, and likelihood of using a microbicide in the future.

To begin, access to the Web page for the Baseline Behavioral Questionnaire at the following URLs:

- English Questionnaire - www.scharp.org/MTN004baseline
- Spanish Questionnaire - www.scharp.org/MTN004baseline/Spanish

Once the questionnaire is accessed, staff should complete the following:

- 1) Log in by entering the PTID and Study Code (MTN004)
- 2) Instruct the participant to follow the online instructions for using both the keyboard and mouse, as well as moving from page to page to answer questions (i.e., using the “Next” button).
Note: Initially, the participant will be presented with simple practice questions (e.g., “choose all that applies,” “indicate how many times,” “choose one of a fixed set of answers”).
- 3) Verify participant's comfort with using the mouse and keyboard, and navigating through the questionnaire.
- 4) Allow the participant to complete the practice questions, assisting her, if needed, to make sure she understands how to answer, and how to change invalid entries.
Note: Invalid entries are those that are not accepted by the program, either because they contradict information that the participant previously entered or because they are not permitted (e.g., numbers that are out of the possible range, like saying she used the gel 100 times).
- 5) Let the participant know that she can refuse to answer any question.
Note: If the participant is unsure of her answer, encourage the participant to make her best guess rather than refuse. Answer any questions that the participant may have and let the participant know that you are available for help or questions.
- 6) Once the practice has been successfully completed, ensure that the participant has read and understands the statement encouraging her to respond to all questions as truthfully as possible.
- 7) Instruct the participant to get you once she sees a message at the end of the questionnaire, indicating that she has completed the questionnaire.
- 8) Leave the room and allow the participant to proceed to the Baseline Behavioral Questionnaire and respond to the questionnaire on her own. The participant should be the only person in the room at the time she is completing the questionnaire.

13.2.2 Acceptability and Adherence Questionnaire (Two Week Clinic Visit)

At the Two-Week Clinic Visit, the participant will complete the Acceptability and Adherence Questionnaire. The Acceptability and Adherence Questionnaire will explore the experiences the participant had during the prior 14 days of study gel use, her likes and dislikes concerning the gel, the applicator, the application process, any changes she may have introduced or may wish to introduce in the volume used, any problems (e.g. leakage) she may have had, partner’s reaction,

sexual enjoyment, condom use during sexual intercourse using the gel, changes in her habitual sexual behavior, and likelihood of using a microbicide in the future.

To begin, access the Web page for the Acceptability and Adherence Questionnaire at the following URLs:

- English Questionnaire - www.scharp.org/MTN004accept.
- Spanish Questionnaire - www.scharp.org/MTN004accept/Spanish.

- 1) Log in by entering the PTID and Study Code (MTN004)
- 2) Instruct the participant to get you once she sees a message at the end of the questionnaire, indicating that she has completed the questionnaire.
- 3) Leave the room and allow the participant to proceed to the Acceptability and Adherence Questionnaire and respond to the questionnaire on her own. The participant should be the only person in the room at the time she is completing the questionnaire.

13.2.3 Study Burden Questionnaire (Three-Week Clinic Visit)

At the Three-Week Clinic Visit, the participant will complete the final Web-based survey, the Study Burden Questionnaire. This questionnaire will explore, through structured questions, the participant's overall experiences during the trial, and her likes and dislikes.

To begin, access the Web page for the Study Burden Questionnaire at the following URLs:

- English Questionnaire - www.scharp.org/MTN004burden.
- Spanish Questionnaire - www.scharp.org/MTN004burden/Spanish.

- 1) Log in by entering the PTID and Study Code (MTN004)
- 2) Instruct the participant to get you once she sees a message at the end of the questionnaire, indicating that she has completed the questionnaire.
- 3) Leave the room and allow the participant to proceed to the Study Burden Questionnaire and respond to the questionnaire on her own. The participant should be the only person in the room at the time she is completing the questionnaire.

Please refer to Section 13.3 below for guidelines and contact information regarding troubleshooting and problems with administering the questionnaire.

13.3 Troubleshooting and Contact Information

If you encounter any problems with the questionnaires, either accessing them or completing them, or with the laptop/desktop that you are using, notify the team by sending an email to the alias list mtn004webtroubleshoot@mtnstopshiv.org. A team of staff members (Ben Masse, Missy Cianciola, Jon Ringuette, and Julie Stofel at SCHARP; and Curtis Dolezal and Ana Ventuneac at the HIV Center) will be available to assist you to troubleshoot and resolve any problems you may have with the Behavioral Measures.

To facilitate the troubleshooting process, please indicate in your email a description of the problem, including a copy of error message(s), if any, and date and time of when the problem occurred. It will very useful to the MTN 004 Web Troubleshoot team to have an exact copy of error messages. To take a snapshot of an error message presented on the screen, simply maximize the screen containing the error message and hit Control (CTRL) and Print Screen (or PRT SC on most laptops) simultaneously on your


keyboard to create an image of your screen. Next, open Microsoft Word and paste your image (click on Edit and then Paste; or simply hit CTRL and V simultaneously). Save the Word file as MTN004WebProblem[insert date].doc and attach it to your email to the MTN 004 Web Troubleshoot team. Below is an example of an email message to the MTN 004 Web Troubleshoot team:

Email Message

To: **mtn004webtroubleshoot@mtnstopshiv.org**
From: XXX
Date: July 30, 2007, 10:28am EST
Re: MTN 004 Web Problem

No access to the Baseline Behavioral Questionnaire in Spanish (www.scharp.org/MTN004baseline/Spanish) on July 30, 2007 at 10:20am EST. A participant is expected in for a study visit at 11:00 am and will be ready to complete the questionnaire at 11:30am. HELP!

[Word document containing an image of the error message should be attached to the email (example of file: MTN004WebProblem_7-30-07.doc)]



Ana Ventuneac will coordinate efforts to quickly resolve any problems. She will keep a record of any problems in a log (MTN 004 Web Troubleshoot Log), track actions taken to correct problems, and inform

and follow up with team members, as appropriate. In case a problem occurs when the participant is at the site and actions to resolve the problem need to be taken immediately, you may contact:

- Ana Ventuneac at (212) 568-4352, (347) 432-0766, or ventune@pi.cpmc.columbia.edu

You may also contact:

- Missy Cianciola at 206 667-7290 or missy@scharp.org for questions about accessing the Web-based questionnaires
- SCHARP help desk at (206) 667-2822 or e-mail sc.helpdesk@scharp.org for any technical problems accessing the questionnaires

If a participant is answering the questionnaire and encounters a problem, exit the questionnaire by closing the browser page and then access the appropriate Web page again to log the participant in. The Web page with the question where a participant left off should be displayed. If the problem persists, contact mtn004webtroubleshoot@mtnstopshiv.org and call Ana Ventuneac so that actions can be taken immediately. The MTN 004 Web Troubleshoot team will assess the problem and communicate with you about resolutions. If the problem cannot be resolved quickly, an appointment should be made as soon as possible, preferably within a day or two, so that the participant can come back to complete the questionnaire. If this occurs, you should document it by keeping a record in the participant's file. A record will also be made in the MTN 004 Web Troubleshoot Log.

Refer to Appendix 13.1 for “Quick Tips for Web-Based Behavioral Measures”

Section Appendix 13-1

QUICK TIPS FOR WEB-BASED BEHAVIORAL MEASURES

- Prior to starting a questionnaire, make sure that the external mouse is connected and working properly. Determine whether the participant prefers to respond to the questionnaire in English or Spanish.
- Make sure that the participant is comfortable and has privacy to assure the confidentiality of her responses.
- Start the questionnaire by typing the Web address to the corresponding Behavioral Measure (NOTE: No Web-based questionnaires are to be completed at the Week 1 Visit.):
 1. Baseline Behavioral Questionnaire (Enrollment Visit)
 2. Acceptability and Adherence Questionnaire (Two-Week Clinic visit)
 3. Study Burden Questionnaire (Three-Week Clinic Visit)
- Make sure that the participant is comfortable with using the mouse and keyboard.
- Check to confirm that it is the correct questionnaire and that it is presented in the right language.
- Enter PTID, Study Code: MTN004, and enter PTID again to confirm.
- Allow participant to complete the practice questions.
- Assist the participant as needed.
- Instruct the participant that when she reaches the end of the survey, she will see a screen that says "Thanks, you have finished this questionnaire." The participant is not finished until she reaches this end screen. At that point the participant should leave the computer as is and inform the study coordinator. Exit the questionnaire by closing the browser screen.
- If, for any reason, the participant cannot complete the questionnaire, you may exit the questionnaire. If the participant is able to return to it, the questionnaire can be restarted by going back to the appropriate Web page and entering the PTID.
- If you encounter any problems with the questionnaires or with the laptop/desktop that you are using, notify mtn004webtroubleshoot@mtnstopshiv.org.

Section Appendix 13-2

BEHAVIORAL MEASURES - ENGLISH

Introduction

Section I: Baseline behavioral questionnaire

Table of Contents

Section:	Title:	Pages:
A	DEMOGRAPHICS	5-6
B	SEXUAL BEHAVIOR	7-13
C	VAGINAL & RECTAL DOUCHES, LUBRICANTS, AND OTHER PRODUCTS	14-15
D	LUBRICANT USE	16-18
E	SUBSTANCE USE & HIV TESTING	19-20
F	LIKELIHOOD OF USING MICROBICIDE	21
G	PLEASURE	22-23

PROGRAMMER: TEXT IN CAPITAL LETTERS SHOULD NOT BE PRESENTED TO THE PARTICIPANT.

Study Staff enter:

Study Site ID: _____

Participant ID

--	--	--	--

Date

____	/	____	/	_____
MM		DD		YYYY

Thank you for agreeing to complete this questionnaire. Your responses will be kept confidential. To keep the information you provide private, personal information (name, address, phone number) will NOT be collected in this questionnaire. Before you begin, there are a few practice questions for you to get used to how the system works. If you have any questions on how to use the computer, the clinic staff can assist you.

If you prefer not to respond to a question, you may leave a question blank and click the "NEXT" button to go to the next question.

Click the "NEXT" button to go to the next screen.

Introduction [Page 2]

Good! You can always move to the next screen by clicking "next", or, to go to the previous screen, click "back."

Click the "NEXT" button to go to the next screen.

Practice [Question 1]

This question shows how to answer questions with click boxes. Try answering the question below by moving the mouse arrow and clicking on boxes that match your choices.

PRACTICE QUESTION:

Which items do you like to eat on a salad? *Choose all that apply.*

[Answer options]

- Eggs
- Cheese
- Croutons
- Salad Dressing
- Carrots
- Bacon bits

This is an example of a question where more than one answer is allowed:

If you want to change your response, click the response you don't want again to de-select it and then select the answer(s) you do want.

Practice [Question 2]

Do you like summer?

- Yes
- No


This is an example of a single response question:

If you want to change your response, simply click the response you want.

Practice [Question 3]

This screen is the last question type in this interview, and involves clicking on the point in the scale that most closely matches how you feel. Use the mouse to move the arrow to the desired place on the scale, and then click to make your choice.

PRACTICE QUESTION:
How thick do you like soup to be?



Ok. If you had any problem answering the prior questions, let the study staff know about it. Otherwise, click "NEXT" and proceed with the first questionnaire.

SECTION A. DEMOGRAPHICS

1. How old are you? _____ (In years) [18-65]

[IF Q 1 > 24, PRESENT PROMPT "I want to confirm your age. You entered XX. Is that correct?" IF NO, THEN PROMPT TO REENTER AGE IN Q 1]

2. Please indicate the highest education level you achieved

1. eighth grade or lower
2. partial high school
3. high school graduate
4. partial college
5. college graduate
6. partial graduate school
7. graduate school degree

3. Do you consider yourself...

- _____ 1. Hispanic or Latina? [SKIP TO Q 5]
_____ 2. Not Hispanic or Latina?

4. Do you consider yourself...

1. African-American or Black
2. Asian or Pacific Islander
3. White or European American
4. Native American
5. Other

5. Do you consider yourself ...

- _____ 1. Lesbian/gay/homosexual?
_____ 2. Bisexual?
_____ 3. Straight/heterosexual?
_____ 4. Undecided
_____ 5. Other

6. Are you ...

1. working full time
2. working part-time
3. on disability
4. not working

7. Are you ...

1. in school full time
2. in school part-time
3. on vacation now but in school
4. not in school at all now

8. Please check what describes who you live with now...

1. You live alone in an apartment or house
2. You live alone in a dormitory
3. You live with a partner or spouse
4. You live with parent(s) or other family members
5. You live with friends and/or roommates
6. You are homeless or do not have a regular place to live now

9 What is your total **personal** income before taxes from all sources per month or per year?

Please select if you would like to answer this question for the past month or the past year...

Month: _____

Year: _____

SECTION B. SEXUAL BEHAVIOR

Let's briefly go over the definitions of some terms so that you understand what is being asked.

When I say:	I mean:
Vaginal Sex:	When a man or boy inserts his penis into your vagina.
Receptive Anal Sex:	When a man or boy puts his penis into your anus (or butt).
Receiving Oral Sex:	When a partner puts his or her mouth or tongue on your vagina, or anus (or butt).
Giving oral sex	When you put your mouth or tongue on your partner's penis, vagina or anus (or butt).

10. How old were you the first time you had vaginal sex? If you have never had vaginal sex, put "0" as your response.

11. How old were you the first time you had anal sex? If you have never had anal sex, put "0" as your response. [IF Q 11 = 0, SKIP Q 22 - 24b_3]

12. How old were you the first time you gave someone oral sex? If you have never given oral sex, put "0" as your response. [IF Q 12 = 0, SKIP Q 27]

13. How old were you the first time you received oral sex? If you have never gotten oral sex, put "0" as your response. [IF Q 13 = 0, SKIP Q 28]

AGE MUST BE <= AGE AT TIME OF INTERVIEW (Q#1). IF AGE ENTERED IS > AGE AT TIME OF INTERVIEW (Q#1) SHOW PROMPT, "You have entered an invalid age. Please re-enter." IN ADDITION, PROGRAM A SOFT RANGE CHECK SO ANY RESPONSE >0 AND <10 RECEIVES PROMPT THAT READS, "I want to confirm the age that you first had vaginal or anal or oral sex. You entered _____. Is that correct?"

Now I am going to ask you about your sexual partners. By sexual partner I mean someone who you've had vaginal or anal sex with.

14. Think about all the male partners you have had sex with in your lifetime. In your whole lifetime, how many different male partners have you had sex with, either vaginal or anal?

15. Think about all the female partners you have had sex with in your lifetime. In your whole lifetime, how many different female partners have you had sex with, either vaginal or anal?

ACCEPTABLE RANGE FOR (Q#14) IS 1 – 10,000 BUT INCLUDE SOFT RANGE CHECK FOR ANY RESPONSE >100. PROMPT SHOULD READ, "I want to confirm the number of different partners that you have had sex with in your lifetime. You have entered _____. Is that correct?" IF RESPONSE IS 0 SHOW PROMPT THAT READS, "You have entered an invalid number. Please re-enter."

Now I'd like you to take a moment to think back about your sex life during the past 90 days. [INSERT TIMELINE REMINDER HERE] — that is, since [DATE]. I'm going to ask you some questions about the sex you have had during that period.

PROGRAM TO CALCULATE DATE OF 90 DAYS PRIOR TO INTERVIEW DATE AND INSERT AS NEEDED.

16. How many male partners have you had vaginal sex with in the past 90 days, that is since [DATE]?

ACCEPTABLE RANGE FOR Q#16 IS 0 – 10,000, BUT INCLUDE SOFT RANGE CHECK FOR ANY RESPONSE >100. IF RANGE FAILURE, SHOW PROMPT THAT READS, "I want to confirm the number of different partners that you have had sex with in the past 90 days. You have entered _____. Is that correct?"

17a. How many times did a male partner put his penis in your vagina in the past 90 days, that is since [DATE]?

17b. How many times did a male partner put his penis in your vagina without a condom in the past 90 days, that is since [DATE]?

18. How many different male partners put their penises in your vagina without a condom in the past 90 days, that is since [DATE]?

. IF Q 18 > 1 (i.e., THE PARTICIPANT REPORTS THAT MORE THAN ONE MAN PENETRATED HER VAGINA WITHOUT A CONDOM), SKIP TO Q 20. IF Q 18 = 1, ASK Q 19 AND SKIP Q 20

You said that one partner put his penis in your vagina without a condom.

19. Regarding this partner (please select one answer).....

- ___ a. This partner told you he was HIV negative and you had no reason to doubt it.
- ___ b. You knew this partner was HIV positive.

___ c. You were not completely sure of this partner's HIV status.

You said ___ men [INSERT THE NUMBER FROM Q 18] put their penises in your vagina without a condom. (If this number is incorrect, please click on the "BACK" button and change your previous answer.)

Of those men...

20_1. how many had actually told you they were HIV-negative and you had no reasons to doubt it?

20_2. how many do you know to be HIV-positive?

20_3. how many were you NOT completely sure of their HIV status?

[NOTE: NUMBERS FOR THE PREVIOUS THREE QUESTIONS ARE BASED ON THE WAY VARIABLES WILL BE LISTED IN THE DATA OUTPUT FILE. THEREFORE QUESTION # 21 DOES NOT EXIST.]

IF Q 11 = 0, SKIP Q 22 - 24

22. Now I'd like to ask you about receptive anal sex. Remember, by receptive anal sex, I mean when a man or boy puts his penis inside your anus or butt. During the past 90 days, did you have receptive anal sex with any male partners?

- 0. No
- 1. Yes

22a. How many male partners put their penises in your anus or butt during the past 90 days?

23a. How many times did a male partner put his penis inside your anus or butt during the past 90 days, that is since [DATE]?

23b. How many times did a male partner put his penis inside your anus or butt without a condom during the past 90 days?

24. How many different male partners put their penises in your anus or butt without a condom during the past 90 days?

IF Q 24 > 1 (i.e., THE PARTICIPANT REPORTS THAT MORE THAN ONE MAN PENETRATED HER VAGINA WITHOUT A CONDOM), SKIP TO Q 24b. IF Q 24 = 1, ASK Q 24a AND SKIP Q 25

You said that one partner put his penis in your anus or butt without a condom.

24a. Regarding this partner (please select one answer)...

- a. This partner told you he was HIV negative and you had no reason to doubt it.
- b. You knew this partner was HIV positive.
- c. You were not completely sure of this partner's HIV status.

You said ___ men [INSERT THE NUMBER FROM 24] put their penises in your anus or butt without a condom. (If this number is incorrect, please click on the "BACK" button and change your previous answer.)

Of those men...

24b_1. how many had actually told you they were HIV-negative and you had no reasons to doubt it?

24b_2. how many do you know to be HIV-positive?

24b_3. how many were you NOT completely sure of their HIV status?

25. Still thinking about the past 90 days, I want to ask you some questions about all of the male partners that you had sex with, either vaginal or anal, during that period. First, during the past 90 days did you ever ask a partner to use a condom?

- 0. No
- 1. Yes

IF Q 25 = 0, SKIP TO Q 27

26. Did any of your partners refuse to use a condom when you asked them?

- 0. No
- 1. Yes

IF Q 12 = 0, SKIP Q 27

27. Now I'd like to ask you about giving oral sex. By giving oral sex I mean when you put your mouth or tongue on your partner's penis, vagina or anus (or butt). During the past 90 days, did you have oral sex with any of your partners, either male or female?

- 0. No
- 1. Yes

IF Q 13 = 0, SKIP Q 28 AND GO TO INSTRUCTIONS ABOVE Q 29

28. Now I'd like to ask you about receiving oral sex. By receiving oral sex I mean when your partner puts his or her mouth or tongue on your vagina, or anus (or butt). During the past 90 days, did you receive oral sex from any of your partners?

- 0. No
- 1. Yes

PARTNER DATA

The next set of questions is about your most recent sex partner(s). You are going to be asked some questions about these partners. Let's briefly go over the definitions of some terms so that you understand what is being asked.

A main male partner is someone that you have sex with and you consider this person to be a person that you are serious about. A main partner is someone with whom you have an ongoing relationship and who you have sex with often - like a spouse, lover, or boyfriend.

A casual male partner is someone that you have sex with two or more times but do not consider this person to be a main partner to you. A casual partner is someone with whom you have sex occasionally on a casual basis.

A one-time male partner is someone with whom you had sex one time and don't plan to have sex with again.

29. How many main male partners have you had in the past 90 days? If you did not have a main partner, put "0" as your response.

30. How many casual male partners have you had in the past 90 days? If you did not have a casual partner, put "0" as your response.

31. How many one-time male partners did you have in the past 90 days? If you did not have a one-time partner, put "0" as your response.

32. Thinking about the male person with whom you most recently had sexual intercourse, is this partner:

1. A main partner
2. A casual partner
3. A one-time partner

THE FOLLOWING QUESTIONS WILL BE ASKED FOR MOST RECENT MAIN PARTNER. IF Q 29 = 0, SKIP Q 33 THROUGH Q 39.
--

MAIN PARTNER

You indicated that you currently have or that you have had a main partner in the past 90 days. The following set of questions will ask about your most recent male main partner.

33. How old is or how old was this most recent main partner at the time you were together?

_____ AGE

Don't Know/Unsure.....99

ACCEPTABLE AGE RANGE IS 01-99. IF RANGE FAILURE, SHOW PROMPT THAT READS, "I want to confirm the age of your most recent main partner. You have entered _____. Is this correct? IF AGE ENTERED IS 0 SHOW PROMPT THAT READS, "You have entered an invalid age. Please re-enter." ALSO ADD A SOFT RANGE CHECK TO CONFIRM ANY AGES <10 OR >40.

34. What is this most recent main partner's racial/ethnic background?

- 1. Asian/Pacific Islander
- 2. Black/African American
- 3. Native American/Alaskan Native
- 4. Hispanic/Latino
- 5. White
- 6. Other or mixed race

35. How many times did you have sex, either vaginal or anal sex, with this most recent main partner during the last 90 days?

FIELD SHOULD ALLOW A FOUR-DIGIT NUMBER, BUT PROGRAM A SOFT RANGE CHECK WITH RANGE FAILURE FOR ANY RESPONSE OVER 300. IF RANGE FAILURE, SHOW PROMPT THAT READS, "I want to confirm the number of times you had sex, either vaginal or anal sex, with this most recent main partner. You entered _____. Is that correct?"

36. Of those times [INSERT NUMBER FROM Q35 ABOVE] how many times did you use a condom with this most recent main partner?

37. The last time you had sex with this most recent main partner, what did you use to keep from getting pregnant? Choose all that apply.

- 1. Condoms
- 2. Pill
- 3. Depo-Provera shot
- 4. Norplant or Implanon
- 5. Withdrawal
- 6. Ortho Patch
- 7. Ring
- 8. Rhythm
- 9. IUD (e.g., Mirena® or Copper T)
- 10. Nothing
- 11. Other

38. Did you ask this most recent main partner whether he had been tested for HIV, or did this partner tell you that he had been tested for HIV?

- 0. No
- 1. Yes

IF Q 38 = 0, SKIP Q 39

39. What were your partner's test results?

- 1. HIV positive
 - 2. HIV negative
 - 3. Partner did not tell me test results
 - 4. Partner did not go back for test results
-

SECTION C. VAGINAL DOUCHES, LUBRICANTS, AND OTHER PRODUCTS (Name of products will be tailored to study site)

The next set of questions is about vaginal products.

40. Have you ever used a tampon?
0. No [GO TO Q 42]
1. Yes
41. Have you used tampons with applicators, without applicators, or both?
a. with applicators
b. without applicators
c. both
42. Have you ever used a cervical cap?
0. No
1. Yes

Please indicate if you have ever used any of the following products:

43. Dessicants, that is, anything to make your vagina dry or tight, such as Tight Stuff
0. No
1. Yes
44. Female condoms, also called "Reality®"
0. No
1. Yes
45. Vaginal moisturizers or sex lubricants, such as Lubrin, Replens, Moist Again, or KY jelly or liquid
0. No
1. Yes
46. Medications for yeast infections that you put in your vagina such as Monistat, Femstat, or Gyne-Lotrimin
0. No
1. Yes
47. Spermicides, that is, a foam, gel, film, suppository, or cream that kills sperm and prevents pregnancy
0. No
1. Yes

The following questions refer to use of vaginal douches.

48. Have you ever used a vaginal douche? By vaginal douche we mean something you use to squirt a liquid into your vagina.
0. No [GO TO NEXT SECTION (Q 52)]
1. Yes

49. How many times did you douche vaginally in the past 3 (three) months?

___ ___ ___ [IF '0,' GO TO NEXT SECTION (Q 52)] [0-999]

50. Of the times you douched in the past 3 months, how many times did you douche... [Indicate all that apply] [1-999]

- a. for general hygiene _____
- b. in preparation for sex _____
- c. after sex _____
- d. for pleasure _____
- e. after your period was finished _____
- f. while you were bleeding from your period _____
- g. because your vagina felt itchy or uncomfortable _____
- h. other _____

51. When you douched in the past 3 (three) months, how many times did you use... [Indicate all that apply] [1-999]

- a. A hand-held hose or bidet _____
 - b. Over-the-counter disposable douche product (e.g., Massengill® or Summer's Eve®) _____
 - c. Re-usable bottle system _____
 - d. Water and vinegar _____
 - e. Other _____
-

60. Describe the ideal type of dispenser for a lubricant.
- 1 Tube (like toothpaste or KY[®])
 - 2 Pump (like in Vaseline Intensive Care[®] or Wet[®])
 - 3 Containers with pop-up covers
 - 4 Can or jar
 - 5 Single use
 - 6 Disposable tube
 - 7 Other
61. In general when you have vaginal intercourse, is the lubricant applied...[Indicate all that apply]
- 1 Directly on your partner's penis?
 - 2 On the outside of your vagina?
 - 3 Inside your vagina?
 - 4 Inside the condom?
 - 5 On the outside of the condom?
 - 6 Other
62. When you are having vaginal intercourse, who applies the lubricant?
- 0 Self
 - 1 Partner
 - 2 Both
63. When is the lubricant first applied?
- 0 Before there is any sexual contact
 - 1 During sex but before he penetrates you
 - 2 After he first penetrates you if you feel the need for it
64. How frequently do you usually reapply the commercial lubricant during intercourse?
- 0 Never
 - 1 Once
 - 2 Twice
 - 3 3 times or more
65. From your past experience, does the application of the lubricant interrupt sex?
- 0 It does not interrupt sex
 - 1 It interrupts sex but does not bother me
 - 2 It interrupts sex and bothers me

IF Q11 = 0 (NEVER HAD ANAL INTERCOURSE), SKIP TO NEXT SECTION (Q 72).

66. Have you ever used a commercial lubricant during anal intercourse?
- 0. No [SKIP TO NEXT SECTION (Q 72)]
 - 1. Yes

67. What types of lubricant have you used? [Indicate all that apply]
- 1 Silicon-based (e.g., Eros[®])
 - 2 Water-based (e.g., KY[®], Wet[®])
 - 3 Oil-based (e.g., Crisco[®])
68. Describe the ideal type of dispenser for a lubricant.
- 1 Tube (like toothpaste or KY[®])
 - 2 Pump (like in Vaseline Intensive Care[®] or Wet[®])
 - 3 Containers with pop-up covers
 - 4 Can or jar
 - 5 Single use
 - 6 Disposable tube
 - 7 Other
69. In general when you have anal intercourse, is the lubricant applied...[Indicate all that apply]
- 1 Directly on your partner's penis?
 - 2 Around your anus (rim)?
 - 3 Inside your anus?
 - 4 Inside the condom?
 - 5 On the outside of the condom?
 - 6 Other
70. When you are having anal intercourse, who applies the lubricant?
- 0 Self
 - 1 Partner
 - 2 Both
71. When is the lubricant first applied?
- 0 Before there is any sexual contact
 - 1 During sex but before he penetrates you
 - 2 After he first penetrates you if you feel the need for it
-

SECTION E. SUBSTANCE USE & HIV TESTING HISTORY

The following questions refer to alcohol and drug use. Now I will show you a list of different drugs.

GO DOWN "A" COLUMN FIRST. IF "0" FOR ANY SUBSTANCES, SKIP B FOR THOSE PARTICULAR SUBSTANCES. USE THE FOLLOWING RESPONSE CHOICES:

- 0 = Never/none
- 1 = Once a month or less
- 2 = 2-3 times a month
- 3 = About once a week
- 4 = 2-6 times a week
- 5 = About once a day
- 6 = More than once a day

A. During the last 90 days, how often have you used [INSERT SUBSTANCE]

B. Of those times during the past 90 days, how often have you used [INSERT SUBSTANCE] immediately before or during sexual intercourse?

	[A] Number of times used PAST 3 MONTHS	[B] Number of times used before or during SEX PAST 3 MONTHS
72. Alcohol (beer, wine, liquor)?		
73. Marijuana/hashish/Pot/Weed?		
74. Ecstasy/MDMA?		
75. Crystal Meth/Amphetamines/ Methamphetamines/Speed/Crank/ Ice?		
76. Ketamine/Special K?		
77. GHB (Gamma Hydroxybutyrate)?		
78. Other Hallucinogens/LSD/ Mushrooms?		
79. Poppers/Amyl Nitrite/Butyl Nitrite?		
80. Crack?		
81. Cocaine (not Crack)?		
82. Heroin?		
83. DELETED		

84. Other pharmaceutical drugs not prescribed to you by a physician (Percocet or similar drugs?		
---	--	--

85. Thinking about the times you used alcohol during the last 90 days, how much did you typically use?

- 0. Too little to feel any effect
- 1. Enough to feel it a little
- 2. Enough to feel it a lot
- 3. Enough to get drunk
- 4. Enough to feel like you might pass out

86. How many times in total have you been tested for HIV? If never, enter 0.


SECTION G. PLEASURE

Please read the following list of sexual behaviors and indicate **how much you would like doing each behavior WITH MEN if it were not for AIDS**. Please answer each question regardless of whether you have ever done it or plan to do it in the future.

	Dislike very much	Dislike somewhat	Dislike slightly	Like slightly	Like somewhat	Like very much
91. Having vaginal intercourse WITHOUT a condom	1	2	3	4	5	6
92. Having vaginal intercourse WITH a condom	1	2	3	4	5	6
93. Having your partner ejaculate inside your vagina WITHOUT a condom	1	2	3	4	5	6

Please indicate:

94. How much do condoms interfere with your sexual satisfaction when you are penetrated vaginally?



IF Q11 = 0 (NEVER HAD ANAL INTERCOURSE), SKIP Q 95 - 98 and END QUESTIONNAIRE HERE. "You have completed the interview. Thank you."

Please indicate **how much you would like doing each behavior WITH MEN if it were not for AIDS**. Please answer each question regardless of whether you have ever done it or plan to do it in the future. [ALLOW ONLY ONE ANSWER PER QUESTION.]

	Dislike very much	Dislike somewhat	Dislike slightly	Like slightly	Like somewhat	Like very much
95. Having anal intercourse WITHOUT a condom	1	2	3	4	5	6
96. Having anal intercourse WITH a condom	1	2	3	4	5	6
97. Having your partner ejaculate inside your rectum WITHOUT a condom	1	2	3	4	5	6

98. How much do condoms interfere with your sexual satisfaction when you are penetrated anally?

1—2—3—4—5—6—7—8—9—10
Not at all A lot

You have completed the interview. Thank you

Section II: Acceptability and Adherence Questionnaire

Table of Contents

Section:	Title:	Pages:
A	PRODUCT ACCEPTABILITY (VAGINAL USE)	26-27
B	PRODUCT ADHERENCE	28
C	APPLICATION PROCESS	29
D	APPLICATOR	30
E	CHANGES IN VOLUME USED	31
F	EXPERIENCES USING THE PRODUCT	32
G	SEXUAL INTERCOURSE USING THE PRODUCT	33-34
H	PARTNER'S REACTION	35-36
I	SEXUAL ENJOYMENT AFTER PRODUCT USE	37
J	CONDOMS	38
K	CHANGES IN SEXUAL PRACTICES DUE TO PRODUCT USE	39
L	LIKELIHOOD OF USING PRODUCT IN THE FUTURE	40
M	WILLINGNESS TO USE HIGHER VOLUME	41
N	POSSIBILITY OF COVERT USE	42

Study Staff enter:

Study Site ID: _____

Participant ID

--	--	--	--

Date

/	/	_____
MM	DD	YYYY

SECTION A. PRODUCT ACCEPTABILITY

1. Overall (i.e., considering all the episodes in which you used this gel) how much did you like the gel?

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

2. How much did you like the color of the gel?

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

3. How much did you like the taste of the gel?

[99] Don't know, I did not taste the gel

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

4. How much did you like the smell of the gel?

[99] Don't know, I did not smell the gel

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

5. How much did you like the consistency of the gel (how thick or thin it was)?

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

6. How much did you like how the gel felt inside your vagina immediately after inserting it?

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

7. How much did you like how the gel felt inside your vagina 30 minutes after inserting it?

[99] Don't know, I did not have the gel in my vagina for 30 minutes

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

8. Did the gel feel...

1—2—3—4—5—6—7—8—9—10
Too runny About right Too sticky

SECTION B. PRODUCT ADHERENCE

9. You were asked to insert the gel in your vagina twice a day for 14 days. However, different circumstances may have prevented you from doing it every time. Please indicate the total number of times you used the gel during the trial period.

_____ [range 0 – 30]

[SKIP Q10 IF Q9 IS = OR > THAN 28]

10. Please check all that apply if any of the following reasons prevented you from using the gel.

- I forgot
 - I did not have the gel with me
 - My sexual partner did not want me to use the gel
 - I did not like how the gel felt inside me
 - I had vaginal bleeding and decided to stop using the gel
 - I got my period
 - I had a burning sensation when using the gel
 - I had an itching sensation when using the gel
 - The gel kept leaking out
 - The gel was messy
 - I did not want to use the gel
 - Other
-

SECTION C. APPLICATION PROCESS

11. Overall, how much did you like putting the gel inside your vagina?

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

12. How easy was it to put the gel inside your vagina?

1—2—3—4—5—6—7—8—9—10
Very Neither easy Very
difficult nor difficult Easy

13. Where were you at the time you put the gel inside your vagina? (Check all that apply.)

1. Bathroom
2. Bedroom
3. Other

14. What position did you typically use to put the gel inside your vagina? [CASI ALLOW ONLY ONE ANSWER.]

1. Kneeling
 2. Laying on side
 3. Standing
 4. Squatting or seated over toilet or tub
 5. Other
-

SECTION E. CHANGES IN VOLUME USED

20. Did you ever use less than the full amount of gel that came in each applicator?
[0] No [SKIP TO NEXT SECTION]
[1] Yes
21. If so, on how many occasions did you use less than the full amount of gel?
[1] 1 of the occasions
[2] 2 of the occasions
[3] On 3 or more of the occasions
22. When you used less than the full amount, about how much did you use, on average?
[1] Three quarters of the dose
[2] Half of the dose
[3] One quarter of the dose
23. Please indicate the reason why you used less than the full amount of gel? (check all that apply)
[1] It was too messy
[2] It leaked
[3] I was scared it could be bad for me
[4] I had trouble using the applicator
[5] Other
-

SECTION F. EXPERIENCES USING THE PRODUCT

24. Did you have any problems using this gel?

- [0] No
- [1] Yes

25. Did you experience any leakage after you used the gel?

- [0] None [SKIP TO Q 27]
- [1] Some
- [2] A lot

26. How much were you bothered by leakage?

1—2—3—4—5—6—7—8—9—10
Not at all Very much

27. Did you experience any gel leakage onto your underwear or bed sheets?

- [0] None [SKIP TO NEXT SECTION (Q 29)]
- [1] Some
- [2] A lot

28. How much were you bothered by gel leakage onto your underwear or bed sheets?

1—2—3—4—5—6—7—8—9—10
Not at all Very much

SECTION G. SEXUAL INTERCOURSE USING THE PRODUCT

During this study...

29. How many male partners did you have vaginal intercourse with? ____
By vaginal intercourse, we mean when a man or boy inserts his penis into your vagina.

IF Q 29 = 0, SKIP Q 30 - 34 AND GO TO Q 35.

30. How many times did you have vaginal intercourse? ____

31. How many times did you have vaginal intercourse using the gel with condoms? ____

32a. How many times did you have vaginal intercourse using the gel without condoms?

32b. How many times did you have vaginal intercourse using condoms without the gel?

33. How many times did you have vaginal intercourse using neither gel nor condoms?

34. With how many partners did you use the gel during vaginal intercourse? ____

NUMBER OF PARTNERS MUST BE \leq RESPONSE GIVEN IN Q 29. IF Q 34 $>$ Q 29, SHOW PROMPT, "You indicated that you had vaginal intercourse with XX number of partners during this study. Yet, you just indicated that you used the gel during vaginal intercourse with XX number of partners. If this is incorrect, please re-enter your response. Otherwise, go back to question # 29 to correct your response to that question."

During this study...

35. How many male partners did you have anal intercourse with? ____

By anal intercourse, we mean when a man or boy inserts his penis into your anus (or butt).

IF Q 35 = 0, SKIP Q 36 - 40 AND GO TO NEXT SECTION (Q 41).

36. How many times did you have anal intercourse? ____

37. How many times did you have anal intercourse using the gel in your anus or rectum (or butt) with condoms? ____

38a. How many times did you have anal intercourse using the gel in your anus or rectum (or butt) without condoms? ____

38b. How many times did you have anal intercourse using condoms without the gel in your anus or rectum (or butt)?

39. How many times did you have anal intercourse using neither gel nor condoms?

40. With how many partners did you use the gel during anal intercourse? ____

NUMBER OF PARTNERS MUST BE \leq RESPONSE GIVEN IN Q 35. IF Q 40 > Q 35, SHOW PROMPT, "You indicated that you had anal intercourse with XX number of partners during this study. Yet, you just indicated that you used the gel during anal intercourse with XX number of partners. If this is incorrect, please re-enter your response. Otherwise, go back to question # 35 to correct your response to that question."

SECTION H. PARTNER'S REACTION

Let us remind you what we mean by a main, casual, and one-time male partner.

A main male partner is someone that you have sex with and you consider this person to be a person that you are serious about. A main partner is someone with whom you have an ongoing relationship and who you have sex with often - like a spouse, lover, or boyfriend.

A casual male partner is someone that you have sex with two or more times but do not consider this person to be a main partner to you. A casual partner is someone with whom you have sex occasionally on a casual basis.

A one-time male partner is someone with whom you had sex one time and don't plan to have sex with again.

41. With what type of partner did you use the gel during vaginal or anal intercourse?

Select all that apply.

- 1. Main partner
- 2. Casual partner
- 3. One-time partner

42. Were any of your partners aware that you used this gel?

[0] No [SKIP Q 43, GO TO INSTRUCTIONS ABOVE Q 44]

[1] Yes

43. Which type of partners was aware that you had used this gel? Select all that apply.

- 1. Main partner(s)
- 2. Casual partner(s)
- 3. One-time partner(s)

IF IN Q 41 CHOICE 1 (MAIN PARTNER) IS NOT SELECTED, SKIP Q 44 AND GO TO INSTRUCTIONS ABOVE Q 45.

44. Overall, how much did your most recent main partner like the gel?

[99] Don't know

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

IF IN Q 41 CHOICE 2 (CASUAL PARTNER) IS NOT SELECTED, SKIP Q 45 AND GO TO INSTRUCTIONS ABOVE Q 46.

45. Overall, how much did your most recent casual partner like the gel?
[99] Don't know

1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much


IF IN Q 41 CHOICE 3 (ONE-TIME PARTNER) IS NOT SELECTED, SKIP Q 46 AND GO TO NEXT SECTION (Q 47).

46. Overall, how much did your most recent one-time partner like the gel?
[99] Don't know


1—2—3—4—5—6—7—8—9—10
Disliked Neither liked Liked
very much nor disliked very much

SECTION I. SEXUAL ENJOYMENT AFTER PRODUCT USE


47. How much did you like vaginal intercourse when using the gel?



48. Overall, how sexually satisfied were you with vaginal sex when using the gel?




49. Overall, how sexually satisfied do you think your partner was after you used the gel? (If you used the gel with more than one partner, refer only to your most recent sexual partner.)



50. How sexually satisfied do you feel with this partner in general when you have vaginal intercourse NOT using this study gel?


[88] Not applicable, I only had sex with this partner using this study gel




SECTION L. LIKELIHOOD OF USING PRODUCT IN THE FUTURE

GEL


57. If a gel were available that provided some protection against HIV, and it looked like the one you have used in this study, how likely would you be to use it every time you have vaginal intercourse?



58. How likely would you be to use a gel that provided some protection against HIV on the occasions when you don't use condoms?



59. How likely would you be to use a gel if you had to wait 30 minutes after application before having intercourse?




60. How much would you be willing to spend on a gel per sexual occasion?

1. Half as much as one spends for condoms
2. About as much as one spends for condoms
3. Twice as much as one spends for condoms
4. Three times as much as one spends for condoms
5. Nothing, I would only use the gel if I could get it for free
6. Other


SECTION M. WILLINGNESS TO USE HIGHER VOLUME

Now, we do not yet know the volume of this gel that would be necessary to contribute to protect you against HIV during sex.


61a. Thinking about the amount of the gel you used, how likely would you be to use it every time you have vaginal intercourse if the same amount were required?



61b. Thinking about the amount of the gel you used, how likely would you be to use it every time you have vaginal intercourse if only half as much were required?



62. How likely would you be to use the gel every time you have vaginal intercourse if twice as much were required?




SECTION N. POSSIBILITY OF COVERT USE


63. Would you want to use this gel without the knowledge of a main partner?

- [0] No
- [1] Yes


64. In your opinion, how likely would it be that your main male partner will notice the gel during sexual intercourse?



65. In your opinion, how likely would it be that your casual male partner will notice the gel during sexual intercourse?



66. In your opinion, how likely would it be that your one-time male partner will notice the gel during sexual intercourse?



You have completed the interview. Thank you

Section III: Study Burden Questionnaire

Table of Contents

Section:	Title:	Pages:
A.	STUDY BURDEN	45-46

Study Staff enter:

Study Site ID: _____

Participant ID				
----------------	--	--	--	--

Date	/	/	_____
	MM	DD	YYYY

SECTION A. STUDY BURDEN

The following questions refer to your feelings about participating in this study. Please tell us your level of agreement with the following statements

I was bothered by ...

1. The number of study visits
 1. Strongly disagree
 2. Somewhat disagree
 3. Somewhat agree
 4. Strongly agree

2. The length of study visits
 1. Strongly disagree
 2. Somewhat disagree
 3. Somewhat agree
 4. Strongly agree

3. Having to travel to study site
 1. Strongly disagree
 2. Somewhat disagree
 3. Somewhat agree
 4. Strongly agree

4. The waiting time at study visits
 1. Strongly disagree
 2. Somewhat disagree
 3. Somewhat agree
 4. Strongly agree

5. Having the pelvic exams
 1. Strongly disagree
 2. Somewhat disagree
 3. Somewhat agree
 4. Strongly agree

6. Having the colposcopy (when the clinician looked inside my vagina with the magnifying instrument)
 1. Strongly disagree
 2. Somewhat disagree
 3. Somewhat agree
 4. Strongly agree

7. Not being able to use vaginal douches during the study
 1. Strongly disagree
 2. Somewhat disagree
 3. Somewhat agree
 4. Strongly agree

8. Not being able to use vaginal lubricants during the study
 1. Strongly disagree
 2. Somewhat disagree
 3. Somewhat agree
 4. Strongly agree

9. Having to apply study gel each day
 1. Strongly disagree
 2. Somewhat disagree
 3. Somewhat agree
 4. Strongly agree

10. Having to use study gel when I had sex
 1. Strongly disagree
 2. Somewhat disagree
 3. Somewhat agree
 4. Strongly agree

11. Having to use condoms when I had sex during the study
 1. Strongly disagree
 2. Somewhat disagree
 3. Somewhat agree
 4. Strongly agree

12. Did you ever have a problem understanding the written instructions on how to use the gel?
[0] No
[1] Yes

13. Did you feel that your compensation for participation in this study was...
 1. Not enough
 2. About right
 3. More than enough

You have completed the interview. Thank you

Section Appendix 13-3

BEHAVIORAL MEASURES - SPANISH

Gracias por aceptar completar este cuestionario. Sus respuestas se mantendrán confidenciales. Para mantener privada la información que usted provee, no será recolectada información personal (nombre, dirección, número de teléfono) en este cuestionario. Antes de comenzar, hay algunas preguntas de práctica para que usted se familiarice con la forma en que el sistema funciona. Si tiene usted alguna pregunta sobre la forma de utilizar la computadora, el personal de la clínica puede ayudarle.

Si usted prefiere no responder a una pregunta, usted puede dejar en blanco una pregunta y hacer clic en el botón "SIGUIENTE" para ir a la próxima pregunta.

Haga clic en el botón "SIGUIENTE" para ir a la próxima pantalla.

Introducción [Página 2]

¡Muy bien! Usted puede pasar en cualquier momento a la siguiente pantalla oprimiendo "siguiente", o, regresar a la pantalla anterior haciendo clic en el botón "atrás (back)".

Haga clic en el botón "SIGUIENTE" para ir a la próxima pantalla.

Práctica [Pregunta 1]

Esta pregunta muestra la forma de responder preguntas utilizando recuadros. Intente contestar las siguientes preguntas moviendo la flecha (cursor) del ratón (mouse) y haciendo clic en los recuadros que concuerden con sus elecciones.

PREGUNTA DE PRÁCTICA:

¿Qué ingredientes le gusta comer en una ensalada? *Marque todas las que correspondan.*

[Opciones de Respuesta]

Huevos

Queso

Cubitos de pan (croutons)

Aderezo para ensalada

Zanahorias

Trozos de tocino

Este es un ejemplo de una pregunta en la cual se permite más de una respuesta: Si usted quiere modificar su respuesta, haga clic nuevamente en la respuesta que usted no desea para deseleccionarla y luego seleccione la(s) respuesta(s) que usted sí desea.

Práctica [Pregunta 2]

¿Le gusta el verano?

Sí

No

Este es un ejemplo de una pregunta de una sola respuesta:


Si usted quiere modificar su respuesta simplemente haga clic en la respuesta deseada.

Práctica [Pregunta 3]

Esta pantalla es el último tipo de pregunta en esta entrevista, e implica hacer clic en el punto de la escala que mejor coincide con su forma de sentir. Utilice el ratón (mouse) para mover la flecha (cursor) hasta el lugar deseado en la escala, y luego haga clic para hacer su elección.

PREGUNTA DE PRÁCTICA:

¿Qué tan espesa le gusta que sea la sopa?



Ok. Si tuvo problemas para contestar estas preguntas, infórmelo al personal de estudio. En caso contrario, haga clic en "SIGUIENTE" y continúe con el primer cuestionario.

SECCIÓN A. DATOS DEMOGRÁFICOS

1. ¿Qué edad tiene usted? _____ (En años)
[18-65]
[IF Q 1 > 24, PRESENT PROMPT "Quiero confirmar su edad. Usted escribió _____. ¿Es esto correcto?" IF NO, THEN PROMPT TO REENTER AGE IN Q 1]
2. Por favor indique el nivel educativo más avanzado que usted obtuvo:
 8. octavo grado o menor
 9. secundaria incompleta
 10. graduado de escuela superior
 11. universidad incompleta
 12. graduado universitario
 13. maestría o doctorado incompleto
 14. título de maestría o doctorado
3. Usted se considera...
 - _____ 1. ¿Hispana o Latina? [VAYA A LA P 5]
 - _____ 2. ¿No Hispana ni Latina?
4. Usted se considera...
 6. Afro americana o Negra
 7. Asiática o Isleña del Pacífico
 8. Blanca o Europea Americana
 9. Americana Nativa
 10. Otro
5. Usted se considera
 - _____ 1. ¿Lesbiana/gay/homosexual?
 - _____ 2. ¿Bisexual?
 - _____ 3. ¿Atraída por el sexo opuesto/heterosexual?
 - _____ 4. Indecisa
 - _____ 5. Otro
6. En la actualidad...
 5. Trabaja Ttempo completo
 6. Trabaja medio tiempo
 7. Está incapacitado
 8. No trabaja
7. En la actualidad...
 5. Es estudiante de tiempo completo
 6. Es estudiante de medio tiempo
 7. Está de vacaciones pero es estudiante
 8. No está estudiando para nada
8. Por favor marque la opción que describa con quién vive actualmente...
 7. Vive sola en un departamento o casa
 8. Vive sola en un dormitorio
 9. Vive con una pareja o esposo

- 10. Vive con su(s) padre(s) u otros miembros de la familia
- 11. Vive con amigos y/o compañeros de habitación
- 12. No tiene casa o no tiene un lugar habitual para vivir por ahora

9. Antes de la deducción de impuestos ¿cuál es su ingreso **personal** total proveniente de todas sus fuentes de ingreso por mes o por año?

Por favor seleccione si desea contestar esta pregunta en relación con el último mes o con el último año...

Mes: _____

Año: _____

SECCIÓN B. COMPORTAMIENTO SEXUAL

Revisemos brevemente las definiciones de algunos términos para que entienda lo que se le pregunta.

Cuando digo:	Me refiero a:
Sexo Vaginal:	Cuando un hombre o muchacho introduce su pene en su vagina.
Sexo Anal Receptivo:	Cuando un hombre o muchacho introduce su pene en su ano (o nalgas).
Sexo Oral Receptivo:	Cuando una pareja coloca su boca o lengua en su vagina o ano (o nalgas).
Dar sexo oral:	Cuando usted coloca su boca o lengua en el pene, vagina o ano (o nalgas) de su pareja.

10. ¿Qué edad tenía usted la primera vez que tuvo sexo vaginal? Si usted nunca ha tenido sexo vaginal, ponga "0" como respuesta.

11. ¿Qué edad tenía usted la primera vez que tuvo sexo anal? Si usted nunca ha tenido sexo anal, ponga "0" como respuesta. [SI P 11 = 0, OMITA LAS P 22 - 24b_3]

12. ¿Qué edad tenía usted la primera vez que le dio a alguien sexo oral? Si usted nunca ha dado sexo oral, ponga "0" como respuesta. [SI P 12 = 0, OMITA LA P 27]

13. ¿Qué edad tenía usted la primera vez que recibió sexo oral? Si usted nunca ha dado recibido sexo oral, ponga "0" como respuesta. [SI P 13 = 0, OMITA LA P 28]

AGE MUST BE <= AGE AT TIME OF INTERVIEW (Q#1). IF AGE ENTERED IS > AGE AT TIME OF INTERVIEW (Q#1) SHOW PROMPT, "Ha escrito una edad no válida. Por favor escriba de nuevo." IN ADDITION, PROGRAM A SOFT RANGE CHECK SO ANY RESPONSE >0 AND <10 RECEIVES PROMPT THAT READS, "Quiero confirmar la edad en la que usted tuvo por primera vez sexo vaginal o anal u oral. Usted escribió _____. ¿Es esto correcto?"

Ahora le preguntaré sobre sus parejas sexuales. Al decir pareja sexual me refiero a alguien con quien haya tenido sexo vaginal o anal.

14. Piense en todas las parejas masculinas con quienes ha tenido sexo en su vida. Durante toda su vida, ¿con cuántas distintas parejas masculinas ha tenido sexo, ya sea vaginal o anal?

15. Piense en todas las parejas femeninas con quienes ha tenido sexo en su vida. Durante toda su vida, ¿con cuántas distintas parejas femeninas ha tenido sexo, ya sea vaginal o anal?

ACCEPTABLE RANGE FOR (Q#14) IS 1 – 10,000 BUT INCLUDE SOFT RANGE CHECK FOR

ANY RESPONSE >100. PROMPT SHOULD READ, "Quiero confirmar el número de parejas distintas con las que ha tenido sexo durante toda su vida. Usted ha escrito _____. ¿Es esto correcto?" IF RESPONSE IS 0 SHOW PROMPT THAT READS, "Ha escrito un número no válido. Por favor escriba de nuevo."

Ahora le pido que se tome un momento para recordar su vida sexual durante los últimos 90 días. [INSERT TIMELINE REMINDER HERE] — esto es, desde [DATE]. Le voy a hacer algunas preguntas sobre el sexo que tuvo durante ese período.

PROGRAM TO CALCULATE DATE OF 90 DAYS PRIOR TO INTERVIEW DATE AND INSERT AS NEEDED.

16. ¿Con cuántas parejas masculinas ha tenido sexo vaginal en los últimos 90 días, esto es desde [DATE]?

ACCEPTABLE RANGE FOR Q#16 IS 0 – 10,000, BUT INCLUDE SOFT RANGE CHECK FOR ANY RESPONSE >100. IF RANGE FAILURE, SHOW PROMPT THAT READS, "Quiero confirmar el número de parejas distintas con las que ha tenido sexo durante los últimos 90 días. Usted ha escrito _____. ¿Es esto correcto?"

17a. ¿En cuántas ocasiones ha introducido una pareja masculina su pene en su vagina en los últimos 90 días, esto es desde [DATE]?

17b. ¿En cuántas ocasiones ha introducido una pareja masculina su pene en su vagina sin utilizar condón en los últimos 90 días, esto es desde [DATE]?

IF RESPONSE IS > # IN Q 16, SHOW PROMPT THAT READS, "Quiero confirmar el número de parejas distintas con las que ha tenido sexo en los últimos 90 días. Usted ha escrito _____. ¿Es esto correcto?"

18. ¿Cuántas parejas masculinas distintas han introducido sus penes en su vagina sin utilizar condón en los últimos 90 días, esto es desde [DATE]?

IF Q 18 = 0, SKIP TO Q 22. IF Q 18 > 1 (i.e., THE PARTICIPANT REPORTS THAT MORE THAN ONE MAN PENETRATED HER VAGINA WITHOUT A CONDOM), SKIP TO Q 20. IF Q 18 = 1, ASK Q 19 AND SKIP Q 20

Usted dijo que una pareja introdujo su pene en su vagina sin condón.

19. En relación con esta pareja (por favor seleccione una respuesta).....

- a. Esta pareja le dijo que era VIH negativo y usted no tenía razón para dudarlo.
- b. Usted sabía que esta pareja era VIH positivo.
- c. Usted no estaba completamente segura del estado de VIH de esta pareja.

Usted dijo que ____ hombres [INSERT THE NUMBER FROM Q 18] introdujeron su pene en su vagina sin condón. (Si este número es incorrecto, por favor haga clic en el botón "ATRÁS" (BACK) y modifique su respuesta anterior.)

De estos hombres...

20_1. ¿cuántos realmente le dijeron a usted que eran VIH negativos y usted no tuvo razones para dudarlos?

20_2. ¿cuántos sabe usted que son VIH positivos?

20_3. ¿de cuántos no estaba usted completamente segura del estado de VIH?

SI P 11 = 0, OMITA LAS P 22 - 24

22. Ahora quisiera preguntarle sobre sexo anal receptivo. Recuerde, al decir sexo anal receptivo, me refiero a cuando un hombre o muchacho introduce su pene dentro de su ano o nalgas. Durante los últimos 90 días, ¿tuvo usted sexo anal receptivo con alguna pareja masculina?

0. No

1. Sí

22a. ¿Cuántas parejas masculinas introdujeron su pene en su ano o nalgas durante los últimos 90 días?

23a. ¿En cuántas ocasiones introdujo una pareja masculina su pene dentro de su ano o nalgas durante los últimos 90 días, esto es desde [DATE]?

23b. ¿En cuántas ocasiones introdujo una pareja su pene dentro de su ano o nalgas sin condón durante los últimos 90 días?

24. ¿Cuántas parejas masculinas diferentes introdujeron su pene en su ano o nalgas sin condón durante los últimos 90 días?

IF Q 24 > 1 (i.e., THE PARTICIPANT REPORTS THAT MORE THAN ONE MAN PENETRATED HER VAGINA WITHOUT A CONDOM), SKIP TO Q 24b. IF Q 24 = 1, ASK Q 24a AND SKIP Q 25

Usted dijo que una pareja introdujo su pene en su ano o nalgas sin condón.

24a. En relación con esta pareja (por favor seleccione una respuesta).....

___ a. Esta pareja le dijo que era VIH negativo y usted no tenía razón para dudarlos.

___ b. Usted sabía que esta pareja era VIH positivo.

___ c. Usted no estaba completamente segura del estado de VIH de esta pareja.

Usted dijo que ___ hombres **[INSERT THE NUMBER FROM Q 24]** introdujeron su pene en su ano o nalgas sin condón. (Si este número es incorrecto, por favor haga clic en el botón "ATRÁS" (BACK) y modifique su respuesta anterior.)

De estos hombres...

24b_1. ¿cuántos realmente le dijeron a usted que eran VIH negativos y usted no tuvo razones para dudarlo?

24b_2. ¿cuántos sabe usted que son VIH positivos?

24b_3. ¿de cuántos no estaba usted completamente segura de su estado de VIH?

25. Pensando aún en los últimos 90 días, quiero hacerle algunas preguntas sobre todas las parejas masculinas con las que tuvo sexo, ya sea vaginal o anal, durante dicho período. Primero, durante los últimos 90 días, ¿alguna vez le pidió a una pareja que utilizara condón?

- 0. No
- 1. Sí

SI P 25 = 0, VAYA A LA P 27

26. ¿Alguna de sus parejas se rehusó a utilizar condón cuando usted se lo pidió?

- 0. No
- 1. Sí

SI P 12 = 0, OMITA LA P 27

27. Ahora quiero preguntarle respecto a dar sexo oral. Recuerde, al decir dar sexo oral, me refiero a cuando usted coloca su boca o lengua en el pene, vagina o ano (o nalgas) de su pareja. Durante los últimos 90 días, ¿usted dio sexo oral a alguna de sus parejas, ya sea femenina o masculina?

- 0. No
- 1. Sí

SI P 13 = 0, OMITA LA P 28 Y VAYA A LAS INSTRUCCIONES ANTES DE LA P 29

28. Ahora quiero preguntarle respecto a recibir sexo oral. Recuerde, al decir recibir sexo oral, me refiero a cuando su pareja coloca su boca o lengua en su vagina o ano (o nalgas). Durante los últimos 90 días, ¿usted recibió sexo oral de alguna de sus parejas?

- 0. No
- 1. Sí

INFORMACIÓN DE LA PAREJA

La siguiente serie de preguntas es sobre su(s) más reciente(s) pareja(s) sexual(es). Se le harán algunas preguntas sobre estas parejas. Revisemos brevemente las definiciones de algunos términos para que usted entienda lo que se le pregunta.

Una pareja masculina principal es alguien con quien usted tiene sexo y que usted considera que es una persona con la que tiene una relación seria. Una pareja principal es alguien con quien usted tiene una relación actual y con quien usted tiene sexo frecuentemente – tal como un esposo, amante o novio.

Una pareja masculina casual es alguien con quien usted tiene sexo dos o más

veces pero que no considera ser una persona que sea una pareja principal. Una pareja casual es alguien con quien usted tiene sexo ocasionalmente en forma casual.

Una pareja masculina de una ocasión es alguien con quien usted ha tenido sexo una vez y con quien no planea tener sexo nuevamente.

29. ¿Cuántas parejas masculinas principales ha tenido en los últimos 90 días? Si no tuvo una pareja principal, ponga "0" como respuesta.

30. ¿Cuántas parejas masculinas casuales ha tenido en los últimos 90 días? Si no tuvo una pareja casual, ponga "0" como respuesta.

31. ¿Cuántas parejas masculinas de una ocasión tuvo en los últimos 90 días? Si no tuvo una pareja de una ocasión, ponga "0" como respuesta.

32. Pensando en la persona masculina con la que ha tenido relaciones sexuales más recientemente, esta pareja es:

1. Una pareja principal
2. Una pareja casual
3. Una pareja de una ocasión

SE HARÁN LAS SIGUIENTES PREGUNTAS PARA LA PAREJA PRINCIPAL MÁS RECIENTE. SI P 29 = 0, OMITA LAS P 33 HASTA LA P 39.

PAREJA PRINCIPAL

Usted indicó que actualmente tiene o que, en los últimos 90 días ha tenido una pareja principal. La siguiente serie de preguntas se referirán a su pareja masculina principal más reciente.

33. ¿Qué edad tiene o qué edad tenía esta pareja principal más reciente en el momento en que ustedes estaban juntos?

EDAD

No Sabe/No está segura.....999

ACCEPTABLE AGE RANGE IS 01-99. IF RANGE FAILURE, SHOW PROMPT THAT READS, "Quiero confirmar la edad de su pareja principal más reciente. Usted ha escrito _____. ¿Es esto correcto? IF AGE ENTERED IS 0 SHOW PROMPT THAT READS, "Usted ha escrito una edad no válida. Por favor escriba de nuevo." ALSO ADD A SOFT RANGE CHECK TO CONFIRM ANY AGES <10 OR >40.

34. ¿Cuál es el antecedente racial/étnico de esta pareja más reciente

- ___ 1. Asiático/Nativo de Islas del Pacífico
- ___ 2. Negro/ Afro americano
- ___ 3. Americano Nativo/ Nativo de Alaska
- ___ 4. Hispano/Latino
- ___ 5. Blanco
- ___ 6. Otro o mezcla étnica

35. ¿Cuántas veces tuvo sexo, ya sea vaginal o anal, con esta pareja principal más reciente durante los últimos 90 días?

FIELD SHOULD ALLOW A FOUR-DIGIT NUMBER, BUT PROGRAM A SOFT RANGE CHECK WITH RANGE FAILURE FOR ANY RESPONSE OVER 300. IF RANGE FAILURE, SHOW PROMPT THAT READS, "Quiero confirmar el número de veces que tuvo sexo, ya sea vaginal o anal, con esta pareja principal más reciente. Usted escribió _____. ¿Es esto correcto?"

36. De estas [INSERT NUMBER FROM Q35 ABOVE] veces, ¿cuántas veces utilizó un condón con esta pareja principal más reciente?

37. La última vez que usted tuvo sexo con esta pareja principal más reciente, ¿qué utilizó usted para prevenir un embarazo? Marque todas las que correspondan.

- ___ 1. Condón
- ___ 2. Píldora
- ___ 3. Inyección de Depo-Provera
- ___ 4. Norplant o Implanon
- ___ 5. Coito interrumpido
- ___ 6. Parcho (Ortho Evra)
- ___ 7. Anillo vaginal (Nuva Ring)
- ___ 8. El ritmo
- ___ 9. DIU (por ejemplo, Mirena® o T de Cobre)
- ___ 10. Nada
- ___ 11. Otros

38. ¿Le preguntó a esta pareja principal más reciente si se había hecho pruebas de VIH, o esta pareja le dijo a usted que se había hecho pruebas de VIH?

- 0. No
- 1. Sí

SI P 38 = 0, OMITA LA P 39

39. ¿Cuál fue el resultado de la prueba de su pareja?

- ___ 1. VIH positivo
- ___ 2. VIH negativo
- ___ 3. La pareja no me dijo los resultados
- ___ 4. La pareja no recogió los resultados

SECCIÓN C. DUCHAS, LUBRICANTES Y OTROS PRODUCTOS VAGINALES (Name of products will be tailored to study site)

La siguiente serie de preguntas es sobre productos vaginales.

40. ¿Alguna vez ha utilizado un tampón?
0. No [VAYA A LA P 42]
1. Sí
41. ¿Ha utilizado tampón con aplicador, sin aplicador o ambos?
a. con aplicador
b. sin aplicador
c. ambos
42. ¿Alguna vez ha utilizado una diafragma/cervical cap?
0. No
1. Sí

Por favor indique si ha utilizado alguna vez alguno de los siguientes productos:

43. Desecantes, esto es, cualquier cosa que haga que su vagina se seque o se endurezca, tal como Tight Stuff
0. No
1. Sí
44. Condones femeninos, también llamados "Reality®"
0. No
1. Sí
45. Lubricantes vaginales o lubricantes sexuales, tales como Lubrin, Replens, Moist Again, o KY en jalea (gel) o líquido
0. No
1. Sí
46. Medicamentos para infecciones vaginales por hongos que usted aplique en su vagina tales como Femstat o Gyne-Lotrimin
0. No
1. Sí
47. Espermicidas, esto es, una espuma, gel, membrana, supositorio o crema que mate espermatozoides y que prevenga el embarazo
0. No
1. Sí

Las siguientes preguntas se refieren al uso de duchas vaginales.

48. ¿Ha utilizado alguna vez una ducha vaginal? Al decir ducha vaginal nos referimos a algo que usted utilice para rociar un líquido dentro de su vagina.
0. No [VAYA A LA SIGUIENTE SECCIÓN (P 52)]
1. Sí

49. ¿Cuántas veces utilizó duchas vaginales en los últimos 3 (tres) meses?

___ ___ ___ [SI '0,' VAYA A LA SIGUIENTE SECCIÓN (P 52)] [0-999]

50. De las veces que utilizó duchas vaginales en los últimos 3 meses, ¿cuántas veces utilizó duchas vaginales... [Marque todas las que correspondan] [1-999]

- a. por higiene personal? ___ ___
- b. en preparación para el sexo? ___ ___
- c. después del sexo? ___ ___
- d. por placer? ___ ___
- e. cuando terminó su período menstrual? ___ ___
- f. mientras tenía su período menstrual? ___ ___
- g. por tener comezón/picor en la vagina o sentirse incómoda? ___ ___
- h. por otras razones? ___ ___

51. Cuando utilizó duchas vaginales en los últimos 3 (tres) meses, ¿cuántas veces utilizó...[Marque todas las que correspondan] [1-999]

- a. Una manguera manual o bidet? ___ ___
 - b. Un producto de ducha desechable sin receta?
(por ejemplo, Massengill® o Summer's Eve®) ___ ___
 - c. Un sistema de botella re-utilizable? ___ ___
 - d. Agua y vinagre? ___ ___
 - e. Otros? ___ ___
-

SECCIÓN D. USO DE LUBRICANTES PARA EL SEXO

Las siguientes preguntas se refieren a lubricantes sexuales comerciales. Esto no incluye saliva ni el lubricante que viene con los condones, sino que se refiere al lubricante que usted compra sin receta o en una tienda.

52. ¿Ha utilizado un lubricante comercial durante el sexo vaginal?
0. No [VAYA A LA P 66]
1. Sí
53. Durante los últimos 3 meses, ¿con cuánta frecuencia ha tenido sexo vaginal utilizando un lubricante sexual comercial?
_____ 0 Nunca [VAYA A LA P 66]
_____ 1 A veces
_____ 2 Siempre
54. ¿Qué tipo de lubricante ha usado? [Marque todas las que correspondan]
_____ 1 A base de silicona (ejemplo, Eros)
_____ 2 A base de agua (ejemplo, KY, Wet)
_____ 3 A base de aceite (ejemplo, Crisco)
55. ¿Dónde obtiene generalmente su lubricante?
_____ 1 Tienda sexual
_____ 2 Farmacia/botica
_____ 3 Agencia de SIDA
_____ 4 Bar, disco, club sexual
_____ 5 En la red
_____ 6 Otro
56. ¿Prefiere usted un lubricante con...
_____ 0 Ningún sabor
_____ 1 Sabor
_____ 2 No importa
57. ¿Prefiere usted un lubricante con ...
_____ 0 Ningún color/transparente
_____ 1 Color
_____ 2 No importa
58. ¿Prefiere usted un lubricante con ...
_____ 0 Ningún olor
_____ 1 Olor
_____ 2 No importa
59. En relación con la consistencia del lubricante comercial, ¿qué prefiere usted?
0 1 2 3 4
•—————•—————•—————•—————•
Muy Algo líquido Ni líquido ni Algo espeso Muy
líquido líquido espeso espeso espeso

60. Describa el tipo ideal de contenedor (envase) para un lubricante.
- 1 Tubo (como pasta de dientes o KY®)
 - 2 De bombeo (como en Vaseline Intensive Care® o Wet®)
 - 3 Contenedores con cubiertas pop-up
 - 4 Lata o frasco
 - 5 De un solo uso
 - 6 Tubo desechable
 - 7 Otro
61. Por lo general, cuándo usted tiene sexo vaginal, ¿el lubricante se aplica...[Indique todas las que apliquen]
- 1 directamente en el pene de su pareja?
 - 2 en el exterior de su vagina?
 - 3 dentro de su vagina?
 - 4 dentro del condón?
 - 5 en el exterior del condón?
 - 6 Otro
62. Cuando tiene sexo vaginal, ¿quién aplica el lubricante?
- 0 Yo
 - 1 Pareja
 - 2 Ambos
63. ¿Cuándo usa el lubricante por primera vez?
- 0 Antes de cualquier contacto sexual
 - 1 Durante el sexo pero antes de que él la penetre a usted
 - 2 Después de que él la penetre si usted siente necesidad
64. ¿Con cuánta frecuencia usted vuelve a aplicar el lubricante comercial durante el sexo vaginal?
- 0 Nunca
 - 1 Una vez
 - 2 Dos veces
 - 3 3 veces o más
65. De su experiencia en el pasado, ¿la aplicación del lubricante interrumpe el acto sexual?
- 0 No interrumpe el acto sexual
 - 1 Interrumpe el acto sexual pero no me molesta
 - 2 Interrumpe el acto sexual y me molesta

<p>SI P11 = 0 (NUNCA HA TENIDO SEXO ANAL), VAYA A LA SIGUIENTE SECCIÓN (P 72).</p>
--

66. ¿Alguna vez ha utilizado un lubricante comercial durante el sexo anal?
- 0. No [VAYA A LA SIGUIENTE SECCIÓN (P 72)]
 - 1. Sí

67. ¿Qué tipo de lubricante ha usado? [Marque todas las que correspondan]
- 1 A base de silicona (ejemplo, Eros)
 - 2 A base de agua (ejemplo, KY, Wet)
 - 3 A base de aceite (ejemplo, Crisco)
68. Describa el tipo ideal de contenedor para un lubricante.
- 1 Tubo (como pasta de dientes o KY®)
 - 2 De bombeo (como en Vaseline Intensive Care® o Wet®)
 - 3 Contenedores con cubiertas pop-up
 - 4 Lata o frasco
 - 5 De un solo uso
 - 6 Tubo desechable
 - 7 Otro
69. Por lo general, cuando usted tiene sexo anal, ¿el lubricante se aplica...[Indique todas las que apliquen]
- 1 directamente en el pene de su pareja?
 - 2 alrededor de su ano?
 - 3 dentro de su ano?
 - 4 dentro del condón?
 - 5 en el exterior del condón?
 - 6 Otro
70. Cuando tiene sexo anal, ¿quién aplica el lubricante?
- 0 Yo
 - 1 Pareja
 - 2 Ambos
71. ¿Cuándo usa el lubricante por primera vez?
- 0 Antes de cualquier contacto sexual
 - 1 Durante el sexo pero antes de que él la penetre a usted
 - 2 Después de que él la penetre si usted siente necesidad
-

SECCIÓN E. HISTORIAL DE PRUEBAS DE VIH & USO DE SUSTANCIAS

Las siguientes preguntas se refieren al uso de alcohol y drogas (fármacos). Ahora le mostraré una lista de distintas drogas.

[PRIMERO OBSERVE LA COLUMNA "A". SI LA RESPUESTA PARA CUALQUIER SUSTANCIA ES "0", OMITA LA COLUMNA "B" PARA ESA SUSTANCIA EN PARTICULAR.] USE LAS SIGUIENTES OPCIONES DE RESPUESTA:

- 0 = Nunca/ninguna
- 1 = Una vez al mes o menos
- 2 = 2-3 veces al mes
- 3 = Alrededor de una vez a la semana
- 4 = 2-6 veces a la semana
- 5 = Alrededor de una vez al día
- 6 = Más de una vez al día

- A. Durante los últimos 90 días, ¿con cuánta frecuencia ha usted utilizado [INSERTE SUSTANCIA]
- B. De estas veces durante los últimos 90 días, ¿con cuánta frecuencia ha usted utilizado [INSERTE SUSTANCIA] inmediatamente antes o durante las relaciones sexuales?

	[A] Número de veces que utilizó en los ÚLTIMOS 3 MESES	[B] Número de veces que utilizó antes o durante el SEXO EN LOS ÚLTIMOS 3 MESES
72. Alcohol (cerveza, vino, licor)?		
73. Marihuana/hashish/Hierba/?		
74. Éxtasis/MDMA?		
75. Metanfetamina Cristal/Anfetaminas/ Metanfetaminas/Speed/Crack/Ice?		
76. Ketamina/Special K?		
77. GHB (Gamma Hidroxibutirato)?		
78. Otros alucinógenos/LSD/ Hongos?		
79. Poppers/Amil-Nitrato/Butil-Nitrato?		
80. Crack?		
81. Cocaína (no Crack)?		
82. Heroína?		
83. DELETED		

84. Otros fármacos de farmacia no recetados para usted por su médico (Percocet o fármacos similares)?		
---	--	--

85. Pensando en las veces en las que usted tomó bebidas alcohólicas durante los últimos 90 días, ¿cuánto utilizó generalmente?

- 0. Muy poco para sentir efectos
- 1. Suficiente para sentirlo un poco
- 2. Suficiente para sentirlo mucho
- 3. Suficiente para emborracharse
- 4. Suficiente para hacerle sentir que podría perder el sentido

86. En total, ¿cuántas veces se ha hecho la prueba del VIH? Si nunca lo ha hecho, escriba 0.

SECCIÓN F. PROBABILIDAD DE UTILIZAR UN MICROBICIDA EN EL FUTURO

Los científicos están tratando de desarrollar alternativas al condón para la prevención del VIH durante el sexo. En este estudio, estamos interesados en gel y enemas o duchas.

87. Si estuviera disponible un microbicida vaginal que proporcionara cierta protección contra el VIH y fuera un gel, ¿qué tan probable sería que usted lo utilizara cada vez que tenga sexo vaginal?

1—— 2—— 3—— 4—— 5—— 6—— 7—— 8—— 9—— 10
Muy Improbable Muy Probable

88. Si estuviera disponible un microbicida rectal que proporcionara cierta protección contra el VIH, y fuera un gel, ¿qué tan probable sería que usted lo utilizara cada vez que tenga sexo anal?

1—— 2—— 3—— 4—— 5—— 6—— 7—— 8—— 9—— 10
Muy Improbable Muy probable

89. Si el uso de una ducha vaginal antes de las relaciones sexuales proporcionara cierta protección contra el VIH, ¿qué tan probable sería que usted se aplicara una ducha vaginal antes de cada ocasión en que usted tenga relaciones sexuales vaginales?

1—— 2—— 3—— 4—— 5—— 6—— 7—— 8—— 9—— 10
Muy Improbable Muy probable

90. Si el uso de un enema antes de tener sexo anal proporcionara cierta protección contra el VIH, ¿qué tan probable sería que usted se aplicara un enema antes de cada ocasión en que usted tenga sexo anal?

1—— 2—— 3—— 4—— 5—— 6—— 7—— 8—— 9—— 10
Muy Improbable Muy Probable

SECCIÓN G. PLACER

Por favor lea los siguientes comportamientos sexuales e indique **cuánto le gustaría practicar cada comportamiento con HOMBRES si no existiera el SIDA**. Por favor conteste cada pregunta sin importar si alguna vez lo ha hecho o si planea hacerlo en un futuro.

	Me disgustaría mucho	Me disgustaría algo	Me disgustaría un poco	Me gustaría un poco	Me gustaría algo	Me gustaría mucho
91. Tener sexo vaginal SIN condón	1	2	3	4	5	6
92. Tener sexo vaginal CON condón	1	2	3	4	5	6
93. Que su pareja eyacule dentro de su vagina SIN un condón	1	2	3	4	5	6

Por favor indique:

94. ¿Cuánto interfieren los condones con su satisfacción sexual cuando es penetrada vaginalmente?

1 — 2 — 3 — 4 — 5 — 6 — 7 — 8 — 9 — 10
 Para nada Mucho

SI la P11 = 0 NUNCA HA TENIDO SEXO ANAL), OMITA LAS P 95 - 98 y ESTE ES EL FIN DEL CUESTIONARIO. "Se ha completado la entrevista. Muchas gracias."

Por favor indique **cuánto le gustaría practicar cada comportamiento con HOMBRES si no existiera el SIDA**. Por favor conteste cada pregunta sin importar si alguna vez lo ha hecho o si planea hacerlo en un futuro. [ALLOW ONLY ONE ANSWER PER QUESTION.]

	Me disgustaría mucho	Me disgustaría algo	Me disgustaría un poco	Me gustaría un poco	Me gustaría algo	Me gustaría mucho
95. Tener sexo anal SIN condón	1	2	3	4	5	6
96. Tener sexo anal CON condón	1	2	3	4	5	6
97. Que su pareja eyacule dentro de su recto SIN un condón	1	2	3	4	5	6

98. ¿Cuánto interfieren los condones con su satisfacción sexual cuando es penetrada por el ano?

1—— 2—— 3—— 4—— 5—— 6—— 7—— 8—— 9—— 10
Para nada Mucho

Se ha completado la entrevista. Muchas gracias

Sección II

SECCIÓN A. ACEPTACIÓN DEL PRODUCTO

1. En general (esto es, considerando todos los episodios en los que utilizó este gel), ¿qué tanto le gusto el gel?

1—2—3—4—5—6—7—8—9—10
Me disgustó Ni me gustó ni Me gustó
mucho me disgustó Mucho

2. ¿Qué tanto le gustó el color del gel?

1—2—3—4—5—6—7—8—9—10
Me disgustó Ni me gustó ni Me gustó
mucho me disgustó Mucho

3. ¿Qué tanto le gusto el sabor del gel?

[99] No sé, no probé el gel

1—2—3—4—5—6—7—8—9—10
Me disgustó Ni me gustó ni Me gustó
mucho me disgustó Mucho

4. ¿Qué tanto le gustó el olor del gel?

[99] No sé, no olí el gel

1—2—3—4—5—6—7—8—9—10
Me disgustó Ni me gustó ni Me gustó
mucho me disgustó Mucho

5. ¿Cuánto le gustó la consistencia del gel (lo espeso o diluido que era)?


1—2—3—4—5—6—7—8—9—10
Me disgustó Ni me gustó ni Me gustó
mucho me disgustó Mucho

6. ¿Qué tanto le gusto la sensación del gel dentro de su vagina inmediatamente después de insertarlo?


1—2—3—4—5—6—7—8—9—10
Me disgustó Ni me gustó ni Me gustó
mucho me disgustó Mucho

7. ¿Qué tanto le gustó la sensación del gel dentro de su vagina 30 minutos después de haberlo insertado?

[99] No sé, no tuve el gel dentro de mi vagina por 30 minutos.



8. El gel se sintió..



SECCIÓN B. ADHERENCIA AL PRODUCTO

9. Se le pidió que insertara el gel en su vagina dos veces al día durante 14 días. Sin embargo, diversas circunstancias pueden haberle impedido que lo hiciera todas las veces. Por favor indique el número total de veces que usted utilizó el gel durante el período de estudio.

_____ [rango 0 – 30]

10. Por favor marque todas las que correspondan en caso de que cualquiera de las siguientes razones le impidiera utilizar el gel.

- Se me olvidó
 - No tenía el gel conmigo
 - Mi pareja sexual no quería que yo utilizara el gel
 - No me gustó la sensación del gel dentro de mí
 - Tuve sangrado vaginal y decidí dejar de utilizar el gel
 - Empecé con mi regla
 - Tuve una sensación de ardor al utilizar el gel
 - Tuve una sensación de comezón al utilizar el gel
 - El gel goteaba todo el tiempo
 - El gel ensuciaba demasiado
 - No quería utilizar el gel
 - Otro
-

SECCIÓN C. PROCESO DE APLICACIÓN

11. En general, ¿qué tanto le gusto poner el gel dentro de su vagina?

1—2—3—4—5—6—7—8—9—10
Me disgustó Ni me gustó ni Me gustó
Mucho me disgustó Mucho

12. ¿Qué tan sencillo fue poner el gel dentro de su vagina?

1— 2— 3— 4—5—6—7—8—9—10
Muy Ni fácil ni Muy
Difícil difícil Fácil

13. ¿En dónde estaba usted cuando puso el gel dentro de su vagina? (Marque todas las que correspondan.)

1. Baño
2. Recámara
3. Otro

14. ¿Qué posición utilizó habitualmente para poner el gel dentro de su vagina? [CASI ALLOW ONLY ONE ANSWER.]

1. Arrodillada
 2. Acostada sobre un costado
 3. Parada
 4. De cuclillas o sentada sobre el escusado o la tina
 5. Otro
-

SECCIÓN D. APLICADOR

15. ¿Qué tanto le gustó el aplicador del gel (el instrumento que utilizó para liberar el gel dentro de su vagina)?

1—2—3—4—5—6—7—8—9—10
Me disgustó mucho Ni me gustó ni me disgustó Me gustó Mucho

16. ¿Tuvo algún problema con el aplicador utilizado para liberar el gel en su vagina?

- 0. No
- 1. Sí

17. ¿Qué tan fácil sería llevar este gel con usted si lo necesitara?

1— 2— 3— 4—5—6—7—8—9—10
Extremadamente difícil Ni fácil ni difícil Extremadamente Fácil

18. ¿Qué tan fácil sería para usted almacenar este gel?

1— 2— 3— 4—5—6—7—8—9—10
Extremadamente difícil Ni fácil ni difícil Extremadamente Fácil

19. ¿Qué tan preocupada estaría usted si alguien descubriera que tiene este gel almacenado?

1— 2— 3— 4—5—6—7—8—9—10
Extremadamente Preocupada No me preocuparía para nada

SECCIÓN E. CAMBIOS EN LA CANTIDAD USADA

20. ¿Alguna vez utilizó menos de la cantidad total de gel que venía en cada aplicador?
[0] No [VAYA A LA SIGUIENTE SECCIÓN]
[1] Sí
21. De ser así, ¿en cuántas ocasiones utilizó menos de la cantidad total de gel?
[1] 1 de las ocasiones
[2] 2 de las ocasiones
[3] En 3 o más de las ocasiones
22. Cuando utilizó menos de la cantidad total, ¿cuánto utilizó, en promedio?
[1] Tres cuartas partes de la dosis
[2] La mitad de la dosis
[3] Una cuarta parte de la dosis
23. Por favor indique la razón por la que utilizó menos de la cantidad total de gel
(marque todas las que correspondan)
[1] Ensuciaba demasiado
[2] Se escurría
[3] Temía que pudiera ser malo para mí
[4] Tuve problemas para utilizar el aplicador
[5] Otro
-

SECCIÓN F. EXPERIENCIAS AL UTILIZAR EL PRODUCTO

24. ¿Tuvo algún problema al utilizar este gel?

[0] No

[1] Sí

25. ¿Tuvo algún goteo o pérdida de gel después de utilizarlo?

[0] No [VAYA A LA P 27]

[1] Poco

[2] Mucho

26. ¿Qué tanto le molestó el goteo o pérdida?

1—— 2—— 3—— 4—— 5—— 6—— 7—— 8—— 9—— 10
Para Mucho
nada

27. ¿Notó alguna vez goteo o pérdida en su ropa interior o sábanas de la cama?

[0] No [VAYA A LA SIGUIENTE SECCIÓN (P 29)]

[1] Poco

[2] Mucho

28. ¿Qué tanto le molestó el goteo o pérdida del gel en la ropa interior o sábanas de la cama?

1—— 2—— 3—— 4—— 5—— 6—— 7—— 8—— 9—— 10
Para Mucho
nada

SECCIÓN G. RELACIONES SEXUALES USANDO EL PRODUCTO

Durante este estudio...

29. ¿Con cuántas parejas masculinas tuvo sexo vaginal? ____
Al decir sexo vaginal, nos referimos a cuando un hombre o muchacho introduce su pene en su vagina.

SI LA P 29 = 0, OMITA LAS P 30 - 34 Y VAYA A LA P 35.

30. ¿Cuántas veces tuvo sexo vaginal? ____

31. ¿Cuántas veces tuvo sexo vaginal utilizando el gel con condones? ____

32a. ¿Cuántas veces tuvo sexo vaginal utilizando el gel sin condones? ____

32b. ¿Cuántas veces tuvo sexo vaginal utilizando condones sin el gel?

33. ¿Cuántas veces tuvo sexo vaginal sin utilizar ni el gel ni condones? ____

34. ¿Con cuántas parejas utilizó el gel durante el sexo vaginal? ____

NUMBER OF PARTNERS MUST BE <= RESPONSE GIVEN IN Q 29. IF Q 34 > Q 29, SHOW PROMPT, "Usted indicó que tuvo sexo vaginal con XX número de parejas durante este estudio. Sin embargo, acaba de indicar que utilizó el gel durante el sexo vaginal con XX número de parejas. Si esto es incorrecto, por favor vuelva a escribir su respuesta. En caso contrario, vuelva a la pregunta # 29 para corregir su respuesta a esa pregunta."

Durante este estudio...

35. ¿Con cuántas parejas masculinas tuvo sexo anal? ____
Al decir sexo anal, nos referimos a cuando un hombre o muchacho introduce su pene en su ano (o nalgas).

SI LA P 35 = 0, OMITA LAS P 36 - 40 Y VAYA A LA SIGUIENTE SECCIÓN (P 41).

36. ¿Cuántas veces tuvo sexo anal? ____

37. ¿Cuántas veces tuvo sexo anal utilizando el gel en su ano o recto (o nalgas) junto con condones? ____

38a. ¿Cuántas veces tuvo sexo anal utilizando el gel en su ano o recto (o nalgas) sin utilizar condones? ____

38b. ¿Cuántas veces tuvo sexo anal utilizando condones sin el gel en su ano o recto (o nalgas)?

39. ¿Cuántas veces tuvo sexo anal sin utilizar ni gel ni condones? ____

40. ¿Con cuántas parejas utilizó el gel durante el sexo anal? ____

NUMBER OF PARTNERS MUST BE <= RESPONSE GIVEN IN Q 35. IF Q 40 > Q 35, SHOW PROMPT, "Usted indicó que tuvo sexo anal con XX número de parejas durante este estudio. Sin embargo, acaba de indicar que utilizó el gel durante el sexo anal con XX número de parejas. Si esto es incorrecto, por favor vuelva a escribir su respuesta. En caso contrario, vuelva a la pregunta # 35 para corregir su respuesta a esa pregunta."

SECCIÓN H. REACCIÓN DE LA PAREJA

Permítanos recordarle a qué nos referimos al decir pareja principal, casual y de una ocasión.

Una pareja masculina principal es alguien con quien usted tiene sexo y que usted considera que es una persona con la que tiene una relación seria. Una pareja principal es alguien con quien usted tiene una relación actual y con quien usted tiene sexo frecuentemente – tal como un esposo, amante o novio.

Una pareja masculina casual es alguien con quien usted tiene sexo dos o más veces pero que no considera ser una persona que sea una pareja principal. Una pareja casual es alguien con quien usted tiene sexo ocasionalmente en forma casual.

Una pareja masculina de una ocasión es alguien con quien usted ha tenido sexo una vez y con quien no planea tener sexo nuevamente.

41. ¿Con qué tipo de pareja utilizó el gel durante las relaciones vaginales o anales? Marque todas las que correspondan.

- 1. Pareja principal
- 2. Pareja casual
- 3. Pareja de una ocasión

42. ¿Alguna de sus parejas supo que usted utilizó este gel?

[0] No [OMITA LA P 43, VAYA A LAS INSTRUCCIONES ANTERIORES A LA P 44]

[1] Sí

43. ¿Qué tipo de pareja supo que usted había utilizado este gel? Marque todas las que correspondan.

- 1. Pareja(s) principal(es)
- 2. Pareja(s) casual(es)
- 3. Pareja(s) de una ocasión

SI EN LA P 41 NO SE SELECCIONA LA ALTERNATIVA 1 (PAREJA PRINCIPAL), OMITA LA P 44 Y VAYA A LAS INSTRUCCIONES ANTERIORES A LA P 45.

44. En general, ¿cuánto le gustó a su pareja principal más reciente el gel?

[99] No sé

1—2—3—4—5—6—7—8—9—10
No le gustó Ni le gustó ni Le gustó
para nada le disgustó mucho

SI EN LA P 41 NO SE SELECCIONA LA ALTERNATIVA 2 (PAREJA CASUAL), OMITA LA P 45 Y VAYA A LAS INSTRUCCIONES ANTERIORES A LA P 46.

45. En general, ¿cuánto le gustó a su pareja casual más reciente el gel?

[99] No sé

1—2—3—4—5—6—7—8—9—10
No le gustó Ni le gustó ni Le gustó
para nada le disgustó mucho

SI EN LA P 41 NO SE SELECCIONA LA ALTERNATIVA 3 (PAREJA DE UNA OCASIÓN),
OMITA LA P 46 Y VAYA A LA SIGUIENTE SECCIÓN(P 47).

46. En general, ¿cuánto le gustó a su pareja de una ocasión más reciente el/ella?

[99] No sé

1—2—3—4—5—6—7—8—9—10
No le gustó Ni le gustó ni Le gustó
para nada le disgustó Mucho

SECCIÓN I. PLACER SEXUAL DESPUÉS DEL USO DEL PRODUCTO

47. ¿Cuánto le gustó el sexo vaginal cuando utilizó elgel?

1—— 2—— 3—— 4——5——6——7——8——9——10
Me disgustó Ni me gustó ni Me gustó
mucho me disgustó Mucho

48. En general, ¿qué tan sexualmente satisfecha estuvo con el sexo vaginal cuando utilizó elgel?

1—— 2—— 3—— 4——5——6——7——8——9——10
Para Mucho
nada

49. En general, ¿qué tan sexualmente satisfecha cree usted que estuvo su pareja cuando usted utilizó elgel? (Si usted utilizó el gel con más de una pareja, refiérase únicamente a su pareja sexual más reciente.)

1—— 2—— 3—— 4——5——6——7——8——9——10
Para Mucho
nada


50. ¿Qué tan sexualmente satisfecha se siente usted con esta pareja en general cuando tiene sexo vaginal y NO utiliza este gel de estudio?

[88] No aplica, únicamente he tenido sexo con esta pareja utilizando el gel de estudio


1—— 2—— 3—— 4——5——6——7——8——9——10
Para Mucho
nada

SECCIÓN J. CONDONES

51. ¿Cuánto le gusto tener relaciones sexuales con condones después de insertar el gel?



52. ¿Cuánto le gusto tener relaciones sexuales sin condón después de insertar el gel?



SECCION K. CAMBIOS EN PRÁCTICAS SEXUALES DEBIDOS AL USO DEL PRODUCTO

53. Pensando en su experiencia al tener sexo vaginal después de utilizar este gel en específico, ¿esta fue mejor, peor o no hubo diferencia alguna respecto a otras ocasiones en las que no utilizó este gel?

- [2] Mejor
- [1] Peor
- [0] No hubo diferencia [VAYA A LA P55]

54. Después de utilizar el gel, ¿fue más fácil la penetración vaginal?

- [0] No
- [1] Sí, la penetración fue un poco más fácil
- [2] Sí, la penetración fue mucho más fácil

55. ¿Alguna vez tuvo que interrumpir el sexo para aplicar el gel?

- [0] No [VAYA A LA SIGUIENTE SECCIÓN]
- [1] Sí

56. ¿Qué tanto le molestó haber tenido que interrumpir el sexo para aplicar el gel?

1—— 2—— 3—— 4—— 5—— 6—— 7—— 8—— 9—— 10
Para Mucho
Nada

SECCIÓN L. PROBABILIDAD DE UTILIZAR EL PRODUCTO EN UN FUTURO

GEL

57. Si estuviera disponible un gel que proporcionara cierta protección contra el VIH, y se pareciera al que usted utilizó en este estudio, ¿qué tan probable sería que usted lo utilizara cada vez que tenga sexo vaginal?

1—— 2—— 3—— 4——5——6——7——8——9——10
Muy Ni probable Muy
improbable ni improbable probable

58. ¿Qué tan probable sería que usted utilizara un gel que proporcionara cierta protección contra el VIH en las ocasiones en las que usted no utiliza condones?

1—— 2—— 3—— 4——5——6——7——8——9——10
Muy Ni probable Muy
improbable ni improbable probable

59. ¿Qué tan probable sería que usted utilizara un gel si tuviera que esperar 30 minutos después de la aplicación para tener relaciones sexuales?

1—— 2—— 3—— 4——5——6——7——8——9——10
Muy Ni probable Muy
improbable ni improbable probable

60. ¿Cuánto estaría dispuesto a gastar en un gel en cada encuentro sexual?

1. La mitad de lo que gasto en condones
2. Aproximadamente lo mismo que gasto en condones
3. El doble de lo que gasto en condones
4. Tres veces lo que gasto en condones
5. Nada. Solo utilizaría el gel si lo recibiera gratis
6. Otro

SECCIÓN M. DISPOSICIÓN PARA UTILIZAR UN MAYOR VOLUMEN

Ahora, no sabemos aún el volumen de este gel que sería necesario para ayudar a protegerla contra el VIH durante el sexo.

61a. Pensando en la cantidad de gel que utilizó, ¿qué tan probable sería que lo utilizara cada vez que tenga sexo vaginal si la misma cantidad fuera necesaria?

1— 2— 3— 4— 5— 6— 7— 8— 9— 10
Muy Ni probable Muy
Improbable ni improbable probable

61b. Pensando en la cantidad de gel que utilizó, ¿qué tan probable sería que lo utilizara cada vez que tenga sexo vaginal si sólo la mitad fuera necesaria?

1— 2— 3— 4— 5— 6— 7— 8— 9— 10
Muy Ni probable Muy
Improbable ni improbable probable

62. ¿Qué tan probable sería que utilizara el gel cada vez que tenga sexo vaginal si fuera necesario utilizar el doble?

1— 2— 3— 4— 5— 6— 7— 8— 9— 10
Muy Ni probable Muy
improbable ni improbable probable

SECCIÓN N. POSIBILIDAD DE USO ENCUBIERTO

63. ¿Querría usted utilizar este gel sin el conocimiento de su pareja principal?

[0] No

[1] Sí

64. Según su opinión ¿qué tan probable sería que su pareja masculina principal notara el gel durante las relaciones sexuales?

1—— 2—— 3—— 4—— 5—— 6—— 7—— 8—— 9—— 10
Muy Ni probable Muy
improbable ni improbable probable

65. Según su opinión ¿qué tan probable sería que su pareja masculina casual notara el gel durante las relaciones sexuales?

1—— 2—— 3—— 4—— 5—— 6—— 7—— 8—— 9—— 10
Muy Ni probable Muy
improbable ni improbable probable

66. Según su opinión ¿qué tan probable sería que su pareja masculina de una ocasión notara el gel durante las relaciones sexuales?

1—— 2—— 3—— 4—— 5—— 6—— 7—— 8—— 9—— 10
Muy Ni probable Muy
Improbable ni improbable probable

Se ha completado la entrevista. Muchas gracias

Sección III

SECCIÓN A. CARGA QUE SIGNIFICÓ EL ESTUDIO

Las siguientes preguntas se refieren a sus sentimientos respecto a su participación en el estudio. Por favor díganos el grado en el que está de acuerdo con las siguientes afirmaciones.

Sentí molestia debido a ...

1. La cantidad de visitas del estudio
 1. Estoy totalmente en desacuerdo
 2. Estoy algo en desacuerdo
 3. Estoy algo de acuerdo
 4. Estoy totalmente de acuerdo

2. El tiempo necesario para las visitas del estudio
 1. Estoy totalmente en desacuerdo
 2. Estoy algo en desacuerdo
 3. Estoy algo de acuerdo
 4. Estoy totalmente de acuerdo

3. Tener que viajar al centro de estudio
 1. Estoy totalmente en desacuerdo
 2. Estoy algo en desacuerdo
 3. Estoy algo de acuerdo
 4. Estoy totalmente de acuerdo

4. El tiempo necesario de espera en las visitas del estudio
 1. Estoy totalmente en desacuerdo
 2. Estoy algo en desacuerdo
 3. Estoy algo de acuerdo
 4. Estoy totalmente de acuerdo

5. Someterme a exámenes pélvicos
 1. Estoy totalmente en desacuerdo
 2. Estoy algo en desacuerdo
 3. Estoy algo de acuerdo
 4. Estoy totalmente de acuerdo

6. Someterme a una colposcopia (cuando el médico observó dentro de mi vagina con el instrumento de aumento)
 1. Estoy totalmente en desacuerdo
 2. Estoy algo en desacuerdo
 3. Estoy algo de acuerdo
 4. Estoy totalmente de acuerdo

7. No poder utilizar duchas vaginales durante el estudio
 1. Estoy totalmente en desacuerdo
 2. Estoy algo en desacuerdo
 3. Estoy algo de acuerdo
 4. Estoy totalmente de acuerdo

8. No poder utilizar lubricantes vaginales durante el estudio
 1. Estoy totalmente en desacuerdo
 2. Estoy algo en desacuerdo
 3. Estoy algo de acuerdo
 4. Estoy totalmente de acuerdo

9. Tener que aplicar diariamente el gel de estudio
 1. Estoy totalmente en desacuerdo
 2. Estoy algo en desacuerdo
 3. Estoy algo de acuerdo
 4. Estoy totalmente de acuerdo

10. Tener que utilizar el gel de estudio durante el sexo
 1. Estoy totalmente en desacuerdo
 2. Estoy algo en desacuerdo
 3. Estoy algo de acuerdo
 4. Estoy totalmente de acuerdo

11. Tener que utilizar condones durante el sexo mientras participé en el estudio
 1. Estoy totalmente en desacuerdo
 2. Estoy algo en desacuerdo
 3. Estoy algo de acuerdo
 4. Estoy totalmente de acuerdo

12. ¿Alguna vez tuvo problemas para entender las instrucciones escritas sobre la forma de utilizar el gel?
[0] No
[1] Sí

13. Opina que su compensación por participar en este estudio...
 1. No fue suficiente
 2. Estuvo bien
 3. Fue más de lo necesario

Se ha completado la entrevista. Muchas gracias